

vinci
play





BRIDGESTONE

vinci play

About us

Vinci Play is a company bringing happiness to children all around the world.

We design, manufacture and install fully safe, aesthetically pleasing and extremely attractive playgrounds. We root for beautiful and imaginative design that stimulates the child's unbridled curiosity while encouraging kids to have fun together. Nearly as many as 80 million girls and boys play joyfully on the Vinci Play devices in over 50 countries around the globe. Such a vast number of parents have placed their trust in us because every day we strive to give children what they need so much – some carefree fun in a safe and friendly environment, while our customers can enjoy extremely durable, top-quality equipment covered by an unrivalled 30- year warranty. Our professional attitude makes us a reliable business partner for those companies and institutions that are looking for a competent playground manufacturer

Our two factories equipped with the most modern equipment, including welding robots, 3D and 2D lasers and many other devices are enabling efficient and effective completion of orders. We employ over 250 people from all over the world, and we all have one goal: witness children's joy in a safe, inspiring and fabulously colourful environment.



Watch movie:



What makes us unique

Advanced production processes

From the design, through production, all the way to shipping, the highest quality and safety of the playground are our priorities at every step of the way. In the production process, we implement only certified materials, and the multi-stage quality control system ensures that all equipment components that leave our production line meet stringent safety norms. We employ top specialists in their field who ensure a high standard of our products, reliable customer service and professional maintenance service of the equipment. Our modern machine park and advanced production organisation facilitate 4-week order processing. We also offer products with a 7 and 14-days production time and goods that are available directly from the warehouse.

We are proud to offer children, their parents and guardians the guarantee of carefree fun and relaxation on the playground, thanks to the strict safety procedures and quality standards implemented within our company.



Customer service

Our Customer Service department operates guided by the highest standards of cooperation, confirmed by the ISO 9001: 2015 certificate. The employees of this department endeavour to respond to inquiries addressed to the company within the shortest time possible while meeting the expectations of even the most demanding buyers. We guarantee cooperation based on the understanding of the customer's needs and offer full support at every stage of the contract execution, during the warranty period and afterwards.



Care for the environment

Care for the natural environment constitutes a vital aspect of our business activities. FSC® certificate number RINA-COC-000904: (licence number FSC® C163573) confirms the use of materials from well-managed FSC certified forests and other controlled sources. We follow the principles of sustainable development in all our undertakings, including the selection of contractors and suppliers. We hold the ISO 14001: 2015 certificate, which confirms the implementation of an environmental-management system.



Standards and safety

Children's safety is of the utmost importance to us, which is why all Vinci Play equipment complies with the EN 1176 European standard. The products also hold the TÜV Rheinland or TÜV SÜD certificate, which confirms their safety and high quality. Our high-end specialists support the Customer during the playground planning process to guarantee the compliance of the project with the applicable EU safety standards.



Quality control

All the elements that make up the final Vinci Play equipment undergo a multi-phase and precise quality control to ensure that they comply with the EN 1176 standard. Our quality specialists use modern laboratory, as well as devices and measuring equipment to evaluate the quality of materials at every stage of production – from the acceptance of goods or components, through all manufacturing steps, all the way to packaging and preparation for shipment. Owing to regular controls and audits of our suppliers and contractors, we make sure that we cooperate only with verified companies.



Laser steel cutting

The LC5 laser, which is the most modern integrated system for cutting profiles and metal sheets, enables optimal metal processing parameters, allowing to obtain the best results in the shortest time.



Welding robots

Welding robots working on matrices built especially for our needs. They increase efficiency thanks to the possibility of carrying out welding processes in a continuous manner. The quality of welding connections is at the highest level thanks to the use of the latest CMT technology. All robots work on high-class welding machines.



Steel welding

Our products are characterised by the highest quality of welds and a precise finish, which guarantees safe use and durability of our playground equipment. A team of highly-qualified welders, supported by cutting-edge welding robots, ensures the finest quality connections of the steel components.



Abrasive treatment (shot blasting)

The steel used to manufacture the Vinci Play playground equipment is subjected to a shotblasting cleaning process which allows us to obtain the proper surface, as well as even welds and edges. This ensures better paint adhesion, thus making the product even safer, more durable and even more aesthetically pleasing. We use professional shot-blasting chambers to process elements of different sizes. For hot-dip galvanised steel, we use electrocorundum shot blasting, and in the case of carbon steel, we employ shot blasting using broken cast steel shot.



Powder coating

Our products are aesthetically pleasing and are available in a wide range of colours thanks to the modern powder coating line. We use the highest quality, child-safe paints which hold the QUALICOAT certificate. Our powder coating process complies with strict standards for the temperature of paint heating, coating thickness and adhesion of the paint to steel elements.



Welding of stainless steel tubes

The entire production process of stainless steel tube slides is performed by highly-qualified Vinci Play employees. They design the tubes, then roll them with high precision, match all the elements of the device, and finally, connect the components using durable and secure welds. At Vinci Play, we implement high-quality AISI 304 and AISI 316 stainless steel.



Galvanisation

We always galvanise steel components before applying powder paint. Galvanisation offers effective protection of the metal surface against corrosion caused by atmospheric conditions. We use two types of galvanisation: powder and hot-dip. We store metal components galvanised with the help of both techniques, as this allows us to swiftly process orders of our customers.



Processing ropes

We use the highest quality 16mm-thick steel ropes with polypropylene or nylon braiding for the manufacturing of climbing equipment and components, as well as for bridges and interlaces. We link them with durable fasteners made of plastic, stainless steel or aluminium. The rope elements are dimensioned, cut to the appropriate length, and then connected using hydraulic presses with a pressure of 150 tons.



CNC

We purchase the HDPE and HPL sheets that we use for the production of our equipment from leading manufacturers around the world. This ensures that we use components of the highest quality. The plates are machined using CNC milling plotters which guarantee precise cutting and milling. The desired shapes and millings – compatible with even the most complicated design requirements – are characterised by their high aesthetic and educational values and at the same time meet the highest standards of safe use.



Robinia cutting and milling

The 5-axis Robinia acacia wood cutting and milling machine is an excellent tool for precise execution of even the most complex details. Complemented by meticulous manual work in surface grinding, allows us to achieve the best results for production of the Robinia series.









Hand made finish

Our experienced carpenters passionately process and finish all wooden elements by hand, and each piece of equipment is built individually. The process is complemented by modern 5D machining centres, which precisely prepare repeatable details. This way, we produce the highest quality elements, fast order fulfilment, and high production efficiency.



Wood processing

CNC saws and industrial robots precisely cut and machine the wood used for the production of wooden parts of our playground equipment. Chamfering of the wood removes any sharp edges, and four-sided surface sanding prepares the wood for the impregnation process. The high quality of wooden elements guarantees the safety of the equipment, and the automation of the process ensures short manufacturing time and fast order realization.



Wood painting

For the production of our wooden equipment, we use pine wood which has been glued together in plies under pressure. The process of machining square timbers, which entails sanding, impregnation, painting, drying and hardening, takes place on a fully automated production line. The wood undergoes a multi-stage protection process, which guarantees long-term durability of the wooden parts of our equipment and makes them resistant to weather conditions.

Materials and components

At Vinci Play, we believe that every detail matters, therefore, for the production of our equipment, we use the highest quality materials and components with certificates, and cooperate with world-renowned manufacturers. Only thanks to this we are able to obtain the final product, which is not only aesthetic and functional, but also safe and compliant with applicable standards.



Wood

Laminated wood with a cross-section of 90 mm x 90 mm. Top-quality first-class wood: without knots, uniform colour, straight grain. Ground, impregnated and varnished over a multi-stage production process. Protected from the top with durable plastic covers and from the bottom with hot-dip galvanised steel anchors, which secure the wood against direct contact with the ground, and thus prevent the development of rot, consequently extending its life span.



Robinia wood

Acacia is the most durable wood found in Europe. The wood is characterized by natural, light colours. It does not require impregnation due to the content of many oils, which naturally protect the material very well against weather conditions, rotting processes and pests. Acacia is distinguished by exceptional hardness, resistance to moisture or contact with soil. We obtain this wood from European FSC®-certified forests and other controlled sources.



Stainless steel

An AISI 304 or AISI 316 stainless steel construction used for the production of playground equipment, slides, tube slides, fasteners and chains. With a smooth surface, it is completely weather-resistant, thus ensuring its long life span.



Steel components

A steel construction of components is made of profiles with various cross-sections. It is available in the following options:

- hot-dip galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate,
- as a steel construction: shot-blasted, iron-phosphated, powder galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate.



HEXA platforms

Anti-slip and waterproof HPL or, optionally, waterproof anti-slip plywood. Cross-structured plywood coated with a hot-pressed phenolic film with a honeycomb surface imprint – it offers increased resistance to abrasion, mechanical damage and chemical agents. It is PFEC-certified.



HDPE

HDPE is a high-density polyethylene. It represents a high-quality material which is resistant to atmospheric agents, i.e. it is waterproof, resistant to frost, UV radiation or moisture. We use three-layer plates (with a black core made of 100% recycled granulate) for the production of various panels, roofs and other playground components.



HPL

HPL is a duroplastic laminate cured with polyurethane-acrylic resins, forming a highly resistant surface layer that protects against external factors. HPL sheets are resistant to chemical and biological factors, UV rays and fluctuating weather conditions. This laminate is used for the production of various types of panels, roofs and other playground components. It is PFEC-certified.



Polycarbonate (PC)

An excellent alternative to glass, a very durable material with similar transparency, and at the same time twice as light and 200 times more resistant to impacts. Additionally, it is resistant to weather conditions, including UV rays and a wide range of temperatures. Used by us for the production of panels, covers and windows or spherical 3d windows (portholes).



PP tunnels

Tunnels with a double wall resistant to deformations, made of PP (diameter of 500 or 600 mm). Resistant to wear and tear, acts of vandalism and external factors.



Ropes

Galvanised steel ropes with a diameter of 16 mm, covered with polypropylene or nylon, connected with plastic, stainless steel or aluminium connectors, resistant to UV radiation, abrasion and rot.



Climbing stones

Colourful climbing stones made of durable composite resin with mineral fillers; resistant to abrasion and UV radiation.



Slides

Slides are made of AISI 304 stainless steel, resistant to acts of vandalism and external factors. Our offer also includes versions made of fiberglass. The side panels of a slide are made of HDPE or HPL sheets, which are resistant to weather conditions, including frost and UV radiation.



Inox slides

Slides made of AISI 304 stainless steel, resistant to vandalism and external factors. Made with attention to every detail, with the highest quality welds, they are an elegant finish for products for playgrounds.



Tube slides

Slides made of certified AISI 304 and AISI 316 stainless steel. Sheet thickness: 2.5 mm, diameter of the slide: 790 mm, sanded surface. The length of the slide exit depends on the length of the slide itself, the exit cap is made of a pipe with a diameter of 33.7 mm. Available variants: straight, curved or spiral (360 degrees). The tube slides meet the EN 1176 Standard.



PE tubes

Made of colourful, impact-resistant and scratch-resistant polyethylene (PE) with inside diameter approx. 75cm. Tubes are available in various bright colours, shapes (straight, curved, spiral) and from different heights.



Anchors

In wooden products we use hot-dip galvanised anchors protecting wood against direct contact with the ground. They prevent rot, thus extend the lifespan of wooden products and ensure many years of use.



Chains

Certified AISI 304 and AISI 316 stainless steel chains.



Protective plugs

Rubber or polypropylene protective plugs protect the main construction profiles against weather conditions and children from injuries.



Bolts

AISI 304 and AISI 316 stainless steel or galvanised bolts are secured against external factors by durable polyamide caps. This makes our equipment resistant to wear and tear as well as to changing weather conditions.



Movable elements

Elements from the Fitness series based on two groups: the Swiss articulation system – safe, durable and long-lasting, allowing fully guided movement, resistant to overload, weather conditions and vandalism, with a mechanical stop and a durable bearing system closed in the casing, thanks to which it does not require lubrication and maintenance. These parts ensure a long service life of devices with moving parts.



Guarantee

The highest quality of our products is ensured by experienced specialists and high quality materials. That is why we can offer our customers a long-term guarantee of fault-free and fully safe use of our devices. We also provide post-warranty services. Orders for most spare parts are completed within 48 hours.

Selected warranty periods:



30 year guarantee

Structural strength of steel and stainless steel components



15 year guarantee

Structural failure of steel and stainless steel, for dynamic equipment; structural elements made of Robinia wood



10 year guarantee

Structural failure of high density polyethylene and high pressure laminate components



5 year guarantee

Corrosion of stainless steel and hot-dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

More information on other warranty periods for selected parameters - available on request in the Guarantee Card.






Design your playground!

Design a functional and safe playground with the 3D Planner application. Thanks to this user-friendly app you will be able to create several versions of the playground and choose the one you like the best in just 5 minutes. Upload a photo of the space you have at your disposal and fill it up with Vinci Play equipment. See what your new playground will look like in the morning, in the evening and during different seasons of the year. You will be able to export the created visualizations to .jpg/.png or .pdf files. Our 3D application will calculate the area needed for the installation of the Vinci Play equipment based on their safety zones, so that your modern playground can meet all the requirements of the EN 1176 standard.

WATCH VIDEO!




1. How to start?

You can easily name the project, define the size of the area and the shape and size of the playground.


2. Choosing Vinci Play products

You can search for a Vinci Play product by the age of users, product series, materials or colour versions through a quick and intuitive search engine. The application contains an up-to-date library of all devices available in the offer.



3. Adding products, plants and creating a playground of your dreams

Adding equipment or plants is child's play. As soon as you make your choice - just click on the product (or on a plant) and drag it to the selected area. When putting more products, special attention should be paid to ensure that the safety zones of individual elements do not overlap (this is very important!) - when this happens, the contact area will be highlighted in red.



4. Defining surface texture

Each playground also has a surface. Not all devices can be installed on grass or sand. You can easily sketch various shapes on the surface that can be made of flexible poured surfaces. Just choose a defined shape - circle, square or hexagon, or draw an irregular shape by hand. It is very easy! Then you can choose the colour or texture of each element of the surface.



5. Displaying a 3D view and printing

All steps so far have taken place in top view. It's cool, but the visualization of the playground is something that interests us much more. How to show a 3D view? It's also very easy. Just click one button and the playground we have created will show up in all its glory! The view can be zoomed in and out, shown from different angles, thanks to which we will feel as if we are walking on an already existing playground. We can also quickly print a specific view and leave it with the customer together with the offer.

What's new?

Over 100 brand-new and attractive playground structures await children this season. New products are distinguished by their unique design and modern functionalities. These safe, fun-inspiring tower constructions and themed products stimulate the imagination and are sure to provide both younger and older children with hours of carefree fun.



High towers

Towers reaching up to 9,5 m, connected by bridges, with a whole range of fun and activity elements, with stainless steel tube slides, enabling joyful play for children of all ages.



Robinia series

Robinia series consists of playground equipment made of natural raw material - Robinia acacia wood, the most durable wood found in Europe. Products, enriched with slides, handrails and ladders made of stainless steel, and elements made of HPL plates in subdued colours are an excellent extension of the offer enabling the design of a natural and elegant playground.





Thematic series

The new CASTILLO, JUNGLE and the SPACE series are high towers and multifunctional sets with motifs and printed polycarbonate referring to the times of chivalry, jungle and space exploration. Made of the highest quality materials, enabling children to have fun at any age.



Role playing devices

A lighthouse with a height of 7 m, station with fire engine or train station are devices that allow you to create a themed playground providing unlimited number of roles to play. Wooden structures based on systems known from the WOODEN series, enriched with durable PE tube slides.



Complementary devices

The individual Vinci Play series are characterized by separate colour, material, motif and form. We have prepared classic devices, incl. swings, carousels, spring riders and sandboxes to complement each of the series.



Inclusive devices

Carousels and swings designed for easy and safe use for people who move independently in a wheelchair and for joint integration fun for everyone, without age and fitness restrictions.



Robinia Fitness



Movable equipment

Carousels, swings (including see-saws), spring riders and outdoor gym equipment based on articulated systems or closed bearings which do not require maintenance. Equipment, which allows physical activity, makes playground more attractive, allowing development of many skills while bringing a lot of joy.



Jumpoo series

Durable outdoor trampolines encouraging activity, made of the highest quality materials. Jumping on the trampolines strengthens muscles, has a positive effect on motor coordination, and at the same time enables unrestricted fun.



Fitness series

The Fitness series was created with wellness in mind, encouraging to train and lead a healthy lifestyle. The series devices are available in several colour and material options which will allow you to create a professional outdoor gym responding to various needs.



Workout series

A series designed for development, keeping fit and returning to good physical condition. Steel and wooden structures with many bars and elements for training with the weight of your own body. Modern design, durable materials and colour options, perfect for creating a contemporary sports ground.



Arena series

Multifunctional sports fields with a modular construction, based on galvanised steel profiles and panels available in several material options, consisting of goals of various sizes, basketball baskets, will encourage children of all ages to spend time outdoors and compete in sports.

Walk in the clouds!

The 9,5 m high towers, with challenging bridges, activity elements and tube slides stimulate the imagination and enable inspiring fun. Towers with a theme referring to fairy tales and stories about castles, knights, princesses and dragons. They allow for fun and role play.



New series!

High towers



Castillo 3040-1
9,5m tower



Castillo 3030-1
6,5m tower



Castillo 3027-1
5m tower

Choose how many you want!

The offer includes tower sets consisting of two, three or even six towers, so it is possible to adjust the offer to the size of the investment. The connecting elements are strong bridges made of the highest quality ropes, fasteners and stainless steel bars, providing a thrill and at the same time increasing the fun.



Castillo 3060-1

The set includes: 5m + 6,5m + 9,5m towers



Castillo 3031-1

The set includes: 5m + 6,5m towers



Castillo 3045-1

The set includes: 5m + 6,5m + 9,5m towers



Combined modules



Robinia, naturally!

The ROBINIA series is an inexhaustible source of inspiration for play for younger and older children. The variety of educational and sensory panels, as well as moving elements, stimulate in children great interest and joy.

The environmentally friendly, wooden devices in the ROBINIA series stimulate the comprehensive physical development of a child and allow a large group of children to play at the same time. Thanks to this, the child learns to establish relationships with peers, and cooperate in a group.

Over 150 playground-equipment, sports, and small architecture products fit perfectly into both the natural landscape and modern architecture.



**New
series!**

See Robinia
catalogue!



**Produced
from natural
raw material**

**Moving and
educational
elements**

**Robinia
wood**

**Stainless steel
elements**

**Stainless steel
slides**





Robinia wood

The acacia wood used in the production of the Robinia series contains many oils which protect the material very well against weather conditions, naturally preserving it against rotting processes and pests. By obtaining wood, we are sure that it comes from European FSC® certified forests and other controlled sources, thanks to which we care for the future in the spirit of sustainable development.



Safety standards

In order to maintain the unique and irregular nature of the acacia wood, each product is individually prepared in accordance with the safety standards. In the Robinia series, we have developed unique technical solutions ensuring compliance with the EN 1176 safety standard. The products are certified by the international certifying institution TÜV SÜD. In addition, our production plants undergo periodic control audits by independent certification bodies.



Safe finish

Thanks to the processing of wood by sanding, we smooth its surface, erasing any rough edges or unevenness, so we make the product not only aesthetic but also safe.



Anti-slip HPL plates

Anti-slip HPL plates are a perfect supplement used in various types of steps and small platforms. Thanks to their highest quality, they are resistant to chemical and biological factors, UV rays, and changing weather conditions. The safe anti-slip structure, subdued colours, and natural look, all perfectly harmonise with the wooden style of the series.



Durable metal parts

In order to guarantee the highest quality and long-term use of the Robinia series, we have supplemented it with bars, slides, and other construction elements in stainless steel and hot-dip galvanised steel.



High-quality ropes

We use galvanised steel ropes sheathed in polypropylene braid in the production of climbing elements. The fitted aluminum rope connections, and safe, calibrated, stainless steel chains, ensure the reliability of solutions and safety of use.



Quick and easy installation

Before shipment, all products undergo preliminary assembly in our factory to prevent jams. We have developed a special connection system, consisting of appropriate undercutting, specialised fastening, and machining holes in key places. Thanks to the clear instructions and the individual marking of the components, it is possible to install quickly and easily, without specialist knowledge and tools.



Packing and transportation

All elements are manufactured in such a way, that it is possible to transport both by road (by bus, or semi-trailer), or by sea or air. The appropriate packing of the elements optimises space and transport costs, and facilitates convenient unloading without the need for cranes or specialist equipment.

Arena, let's play!

The Arena is a multifunctional playing field that can be an independent sports facility, perfectly suited for public spaces. In the Arena you can play football, basketball, handball, hockey, tennis and many more. Thanks to the modularity of the size and functional design, as well as the possibility to choose the material and colour version, the Arena can be adapted to individual needs.



New series!

**Products available
in the first quarter of 2022**





Inclusive playground



1 SPRING 0630 p. 108

2 WOODEN WD1506 p. 54

3 HOOP 0712 p. 124

4 SOLO WD1443 p. 66

5 CLIMBOO 0499 p. 96

6 SPRING 0671 p. 109

7 SWING ST1494 p. 116



8 SWING ST0509 p. 121

9 SPRING 0608-2 p. 106

10 STEEL+ 1726 p. 43

11 HOOP 0728 p. 122

12 SWING ST0531 p. 113

13 PARK 0926 p. 180

14 PARK 0905-1 p. 181

Natural playground



- 1 ROBINIA RB1392 s. 156
- 2 ROBINIA RB1272 s. 139
- 3 ROBINIA RB1319 s. 142

- 4 ROBINIA RB1385 s. 155
- 5 ROBINIA RB1277 s. 141

- 6 ROBINIA RB1369 s. 148
- 7 ROBINIA RB1362 s. 148



8 ROBINIA RB1260 s. 137

9 ROBINIA RB1332 s. 145

10 ROBINIA RB1217 s. 131

11 ROBINIA RB1492 s. 153

12 ROBINIA RB1203 s. 126

13 ROBINIA RB1253 s. 137

Thematic playground



- 1 SWING ST0522 p. 112
- 2 CASTILLO 3001-1 p. 36

- 3 CLIMBOO 0419-1 p. 99
- 4 CASTILLO 3028-1 p. 36

- 5 SWING ST1494 p. 116
- 6 SPRING 0651 p. 106



7 CASTILLO 3080 p. 41

8 SOLO WP2807 p. 76

9 SPRING 0623 p. 107

10 SOLO 0802-1 p. 68

11 HOOP 0703-1 p. 122

jungle

Wild adventure!

The JUNGLE series will allow you to climb to the heights and conquer the unconquered.

High, up to 9,5 meters above the ground, the greatest adventures will take place like in the crown of trees! Among green leaves, branches and colourful cheerful graphics, everyone will be able to turn into a traveler and explorer.

High tube slides are real fun - not only for small kids, and the climbing elements are a challenge and encouragement to be active.



3231



3240

New series!



3230



3227

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
3231	●	1154 cm	810 cm	656 cm	4 - 14	86	90,0 m ²	270 cm	90, 210 cm	360 cm	●	●	-	●	-
3240	●	1051 cm	796 cm	950 cm	4 - 14	105	77,6 m ²	270 cm	180, 210 cm	570 cm	●	●	-	●	-
3230	●	742 cm	554 cm	656 cm	4 - 14	46	51,5 m ²	270 cm	150 cm	360 cm	●	●	-	●	-
3227	●	530 cm	369 cm	505 cm	4 - 14	38	43,1 m ²	270 cm	90, 120 cm	-	●	●	-	●	-

New series!



3241



3245



3260

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction		Panels		
											steel	inox	wood	HDPE	HPL
3241		1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m ²	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3245		1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m ²	270 cm	90, 180, 210 cm	360, 570 cm			-		-
3260		2046 cm	1995 cm	950 cm	4 - 14	342	248,8 m ²	270 cm	90, 180, 210 cm	240, 360, 570 cm			-		-

Characteristics of the JUNGLE series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops

Colour & material options*:



Construction:



Slides:



Tubes:

Painted steel RAL1011

- Stainless steel

- Stainless steel

Stainless steel

- Fiberglass

- PE

*Material options apply to selected products, for more information visit: www.vinci-play.com

space

New series!

Explore the universe!

The SPACE series is a fulfillment of childhood dreams of space travel.

The towers up to 9,5 meters high, like space rockets, will lift children high above the ground. Colourful graphics, lots of activity and play elements, including tube slides made of the highest quality stainless steel, will not let you get bored.



3427



3430




3431

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
										steel	inox	wood	HDPE	HPL
3427	530 cm	369 cm	505 cm	4 - 14	38	43,1 m ²	270 cm	90, 210 cm	-	●	●	-	●	-
3430	742 cm	554 cm	656 cm	4 - 14	46	51,5 m ²	270 cm	150 cm	360 cm	●	●	-	●	-
3431	1154 cm	810 cm	656 cm	4 - 14	86	90,0 m ²	270 cm	90, 210 cm	360 cm	●	●	-	●	-





3440



3441



New series!



3445

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3440		1051 cm	796 cm	950 cm	4 - 14	105	77,6 m ²	270 cm	180, 210 cm	570 cm			-		-
3441		1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m ²	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3445		1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m ²	270 cm	90, 180, 210 cm	360, 570 cm			-		-



3460

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3460		2046 cm	1995 cm	950 cm	4 - 14	342	284,8 m ²	270 cm	90, 180, 210 cm	240, 360, 570 cm			-		

Characteristics of the SPACE series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops

Colour & material options*:



Construction:



Slides:



Tubes:

Painted steel RAL5000

- Stainless steel

- Stainless steel

Stainless steel

- Fiberglass

- PE

*Material options apply to selected products, for more information visit: www.vinci-play.com

castillo

Explore a new theme!

Breathtaking castles, monumental towers, passages and hiding places made of rope elements, tube slides... And much more! Each child will be able to feel the atmosphere of medieval times, turn into knights and princesses, fight dragons, and lock the wicked in dungeons.

Castillo towers made of the highest quality materials will provide guaranteed entertainment for users of all ages.

New series!



3028-1



3040-1



3001-1



3002-1



3003-1



3004-1










Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3028-1	●	821 cm	733 cm	505 cm	4 - 14	44	63,4 m ²	270 cm	90, 120 cm	240 cm	●	●	-	●	-
3040-1	●	1051 cm	796 cm	950 cm	4 - 14	105	77,6 m ²	270 cm	180, 210 cm	570 cm	●	●	-	●	-
3001-1	●	344 cm	212 cm	285 cm	1 - 8	11	25,5 m ²	< 60 cm	-	-	●	●	-	●	-
3002-1	●	278 cm	170 cm	376 cm	3 - 14	7	21,1 m ²	120 cm	120 cm	-	●	●	-	●	-
3003-1	●	388 cm	300 cm	345 cm	3 - 14	19	32,2 m ²	200 cm	90 cm	-	●	●	-	●	-
3004-1	●	565 cm	166 cm	376 cm	3 - 14	17	33,4 m ²	150 cm	120 cm	-	●	●	-	●	-



3027-1



3030-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3027-1		530 cm	369 cm	505 cm	4 - 14	38	43,1 m ²	270 cm	90, 210 cm	-			-		-
3030-1		742 cm	554 cm	656 cm	4 - 14	46	51,5 m ²	270 cm	150 cm	360 cm			-		-





3029-1




















3041-1



3031-1











3045-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3029-1		1191 cm	1072 cm	505 cm	4 - 14	101	134,6 m ²	240 cm	90, 120, 150 cm	240 cm			-		-
3041-1		1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m ²	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3031-1		1154 cm	810 cm	656 cm	4 - 14	86	90,0 m ²	270 cm	90, 210 cm	360 cm			-		-
3045-1		1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m ²	270 cm	90,180, 210 cm	360, 570 cm			-		-



3060-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels
3060-1		2046 cm	1995 cm	950 cm	4 - 14	342	284,8 m ²	270 cm	90, 180, 210 cm	240, 360, 570 cm	  - 	 



3080

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3080		1195 cm	603 cm	640 cm	4 - 14	87	101,2 m ²	270 cm	120, 150 cm	180 cm			-		-

Characteristics of the CASTILLO series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options*:



Construction:



Slides:



Tubes:

Painted steel RAL7016

- Stainless steel

- Stainless steel

Stainless steel

- Fiberglass

- PE

*Material options apply to selected products, for more information visit: www.vinci-play.com

steel+

Simple fun!

The STEEL+ series comprises modern tower structures with many features that will delight both younger and older children.

Colourful towers enriched with musical elements are just the perfect place to have some fun with fellow companions and are also a great spot for relaxation.

A vast variety of devices with educational elements facilitate the integration of children of different fitness levels.




























1723



1702



1709


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants				
											steel	inox	wood	HDPE	HPL			
1723		313 cm	283 cm	206 cm	1 - 8	13	25,3 m ²	70 cm	-	-								-
1702		278 cm	226 cm	313 cm	1 - 8	9	23,9 m ²	120 cm	120 cm	-								-
1709		521 cm	364 cm	373 cm	3 - 14	27	44,6 m ²	180 cm	150, 180 cm	-								-

























1701



1724



1726

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants				
											steel	inox	wood	HDPE	HPL			
1701		224 cm	234 cm	286 cm	1 - 8	9	22,2 m ²	90 cm	90 cm	-			-					-
1724		323 cm	310 cm	283 cm	1 - 8	14	30,5 m ²	90 cm	90 cm	-			-					-
1726		642 cm	525 cm	231 cm	1 - 8	38	53,1 m ²	99 cm	-	-			-					-

























1703



1704



1705

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants				
											steel	inox	wood	HDPE	HPL			
1703		475 cm	217 cm	343 cm	3-14	12	31,7 m ²	200 cm	150 cm	-			-					-
1704		367 cm	304 cm	313 cm	3 - 14	9	31,5 m ²	220 cm	120 cm	-			-					-
1705		363 cm	503 cm	313 cm	3 - 14	11	40,6 m ²	200 cm	120 cm	-			-					-



1706



1717



1707



1708



1710




1712




1711



1713

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1706	●	499 cm	461 cm	316 cm	3 - 14	13	41,4 m ²	200 cm	120 cm	-	●	●	-	●	●	●	-
1717	●	332 cm	252 cm	316 cm	3 - 14	11	29,3 m ²	200 cm	-	-	●	●	-	●	●	●	-
1707	●	349 cm	334 cm	343 cm	3 - 14	15	31,0 m ²	150 cm	150 cm	-	●	●	-	●	●	●	-
1708	●	400 cm	356 cm	373 cm	3 - 14	24	40,5 m ²	220 cm	150 cm	-	●	●	-	●	●	●	-
1710	●	451 cm	395 cm	343 cm	3 - 14	29	45,1 m ²	200 cm	90, 150 cm	-	●	●	-	●	●	●	-
1712	●	568 cm	396 cm	373 cm	3 - 14	31	52,1 m ²	220 cm	180 cm	-	●	●	-	●	●	●	-
1711	●	702 cm	338 cm	373 cm	3 - 14	32	55,1 m ²	200 cm	90, 180 cm	-	●	●	-	●	●	●	-
1713	●	606 cm	365 cm	343 cm	3 - 14	45	55,8 m ²	220 cm	-	-	●	●	-	●	●	●	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1727	●	530 cm	369 cm	505 cm	4 - 14	38	43,1 m ²	270 cm	90, 210 cm	-	●	●	-	●	●	●	-
1728	●	821 cm	733 cm	505 cm	4 - 14	44	63,4 m ²	270 cm	90, 120 cm	240 cm	●	●	-	●	●	●	-
1730-1	●	742 cm	554 cm	656 cm	4 - 14	47	51,5 m ²	270 cm	150 cm	360 cm	●	●	-	●	●	●	-
1731	●	1154 cm	810 cm	656 cm	4 - 14	86	90,0 m ²	270 cm	90, 210 cm	360 cm	●	●	-	●	●	●	-
1740	●	1051 cm	796 cm	950 cm	4 - 14	105	77,6 m ²	270 cm	180, 210 cm	570 cm	●	●	-	●	●	●	-



1741




1745



1790

New!




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1741	●	1527 cm	1321 cm	950 cm	4 - 14	162	139,6 m ²	270 cm	150, 180, 210 cm	360, 570 cm	●	●	-	●	●	●	-
1745	●	1527 cm	1515 cm	950 cm	4 - 14	198	174,3 m ²	270 cm	90, 180, 210 cm	360, 570 cm	●	●	-	●	●	●	-
1790	●	2046 cm	1995 cm	950 cm	4 - 14	342	284,8 m ²	270 cm	90, 180, 210 cm	240, 360, 570 cm	●	●	-	●	●	●	-




















1736



1780

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants				
											steel	inox	wood	HDPE	HPL			
1736		498 cm	324 cm	286 cm	3 - 14	24	37,9 m ²	90 cm	90 cm	-			-					-
1780		1195 cm	603 cm	640 cm	4 - 14	87	101,2 m ²	270 cm	120, 150 cm	180 cm			-					-

Characteristics of the STEEL+ series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops








PP tunnels

Colour & material options*:





Colour (panels):

-  HDPE - RAL6024
-  HDPE - RAL3020
-  C11E HDPE - multicolour
-  HDPE - RAL5015
-  HDPE - RAL8024





Construction:

-  Painted steel RAL 7040
-  Stainless steel





Slides:

-  - Stainless steel
-  - Fiberglass



Tubes:

-  - Stainless steel
-  - PE



Anchoring:

-  - Surface
-  - Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

topicco

Play a role!

A series of role-playing devices: a train station, a fire station, a fire truck, a lighthouse, a ship, a truck or a roller. These devices release a child's natural tendency to play happily and learn the "adult world" as well as engage in teamwork training.

The TOPICCO series offers a number of elements such as educational panels or manual elements that stimulate motor skills and positively affect the intellectual development of young children.



WD1534











New!



WD1541



WD1542

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants	
											steel	inox	wood	HDPE	HPL
WD1534		742 cm	343 cm	635 cm	1 - 8	39	45,5 m ²	< 60 cm	-	180, 330 cm	-	-			-
WD1541		506 cm	304 cm	403 cm	1 - 8	22	37,9 m ²	< 60 cm	59 cm	210 cm	-	-			-
WD1542		857 cm	807 cm	403 cm	1 - 8	54	80,3 m ²	210 cm	59 cm	210 cm	-	-			-



3101



3102



3103



3104

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants	
											steel	inox	wood	HDPE	HPL
3101	●	346 cm	268 cm	202 cm	3 - 12	13	27,9 m ²	90 cm	90 cm	-	●	-	-	●	-
3102	●	439 cm	207 cm	202 cm	3 - 12	15	29,2 m ²	90 cm	90 cm	-	●	-	-	●	-
3103	●	296 cm	268 cm	200 cm	3 - 12	14	25,9 m ²	90 cm	90 cm	-	●	-	-	●	-
3104	●	298 cm	268 cm	206 cm	3 - 12	14	26,2 m ²	90 cm	90 cm	-	●	-	-	●	-

Characteristics of the TOPICCO series:



Wood construction



Galvanised anchors



Galvanised steel construction or elements



Stainless steel elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



PE tube slides



Durable connectors



PP tunnels

Colour & material options*:



Anti-slip and waterproof platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Tubes:

- PE
- Stainless steel



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

wooden

Equipment from painted wood

The WOODEN series is an endless source of inspiration for both younger and older children how to have fun.

Various educational and sensory panels, coupled with moving elements, will bring children lots of joy and draw a lot of interest.

The environmentally friendly wooden equipment from this series stimulates the child's comprehensive physical development and also allows a large group of kids to play together at the same time. Thanks to this, child learns how to establish relationships with their fellows and how to work as part of a team.



WD1503



WD1403



WD1437



WD1401




WD1402



WD1407

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction					Panels variants						
											steel	inox	wood	HDPE	HPL							
WD1503	●	342 cm	336 cm	247 cm	1 - 8	25	33,8 m ²	<60 cm	59 cm	35, 59 cm	-	-	●	●	●	●	●	●	●	●	●	●
WD1403	●	204 cm	139 cm	170 cm	3 - 14	7	18,8 m ²	90 cm	90 cm	90 cm	-	-	●	●	●	●	●	●	●	●	●	●
WD1437	●	349 cm	173 cm	103 cm	1 - 8	15	27,3 m ²	<60 cm	-	-	-	-	●	●	●	●	●	●	●	●	●	●
WD1401	●	97 cm	96 cm	139 cm	1 - 8	4	13,8 m ²	60 cm	-	-	-	-	●	●	●	●	●	●	●	●	●	●
WD1402	●	166 cm	99 cm	191 cm	1 - 8	6	15,6 m ²	<60 cm	-	35 cm	-	-	●	●	●	●	●	●	●	●	●	●
WD1407	●	260 cm	270 cm	280 cm	3 - 14	13	27,3 m ²	90 cm	90 cm	90 cm	-	-	●	●	●	●	●	●	●	●	●	●





WD1505



WD1501



WD1506



Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants			
										steel	inox	wood	HDPE	HPL		
WD1505	652 cm	555 cm	277 cm	1 - 8	58	60,8 m ²	90 cm	90 cm	35, 40, 59, 90 cm	-	-	●	●	●	●	●
WD1501	218 cm	224 cm	277 cm	1 - 8	9	21,7 m ²	90 cm	90 cm	40, 90 cm	-	-	●	●	●	●	●
WD1506	821 cm	811 cm	277 cm	1 - 8	90	94,5 m ²	90 cm	59, 90 cm	35, 40, 59, 90 cm	-	-	●	●	●	●	●



WD1434



WD1436



WD1504



WD1502

Product code	🌀	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants				
											steel	inox	wood	HDPE	HPL		
WD1434	●	215 cm	145 cm	280 cm	1 - 8	7	19,2 m ²	90 cm	90 cm	59, 90 cm	-	-	●	●	●	●	●
WD1436	-	360 cm	315 cm	280 cm	1 - 8	14	30,2 m ²	90 cm	59, 90 cm	59, 90 cm	-	-	●	●	●	●	●
WD1504	●	440 cm	451 cm	367 cm	3 - 14	29	43,4 m ²	180 cm	120, 150 cm	35, 120, 150, 180 cm	-	-	●	●	●	●	●
WD1502	●	247 cm	213 cm	307 cm	1 - 8	11	22,9 m ²	120 cm	120 cm	120 cm	-	-	●	●	●	●	●



WD1408



WD1406



WD1404




WD1405



WD1438



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants					
											steel	inox	wood	HDPE	HPL			
WD1408	●	365 cm	290 cm	310 cm	3 - 14	13	31,1 m ²	120 cm	120 cm	90, 120 cm	-	-	●	●	●	●	●	●
WD1406	-	316 cm	252 cm	310 cm	3 - 14	11	26,2 m ²	120 cm	90, 120 cm	90, 120 cm	-	-	●	●	●	●	●	●
WD1404	-	314 cm	150 cm	307 cm	3 - 14	7	22,4 m ²	120 cm	120 cm	120 cm	-	-	●	●	●	●	●	●
WD1405	●	328 cm	245 cm	337 cm	3 - 14	13	26,4 m ²	150 cm	150 cm	150 cm	-	-	●	●	●	●	●	●
WD1438	●	474 cm	328 cm	307 cm	3 - 14	12	38,1 m ²	130 cm	120 cm	120 cm	-	-	●	●	●	●	●	●



WD1409



WD1410

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants			
										steel	inox	wood	HDPE	HPL	
WD1409	-	460 cm	355 cm	340 cm	3 - 14	19	37,9 m ²	190 cm	150 cm	-	-	●	●	●	●
WD1410	-	405 cm	335 cm	370 cm	3 - 14	23	40,7 m ²	220 cm	150 cm	-	-	●	●	●	●



WD1449



WD1412



WD1411



WD1454



WD1413



WD1450


Product code	🦿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
WD1449	-	322 cm	278 cm	367 cm	3 - 14	16	28,5 m ²	220 cm	-	120, 150, 180 cm	-	-	wood	●	●	●	●
WD1412	●	565 cm	424 cm	367 cm	3 - 14	31	50,2 m ²	210 cm	90, 180 cm	90, 120, 150, 180 cm	-	-	wood	●	●	●	●
WD1411	●	563 cm	357 cm	367 cm	3 - 14	30	47,4 m ²	180 cm	150 cm	120, 150, 180 cm	-	-	wood	●	●	●	●
WD1454	-	910 cm	405 cm	410 cm	3 - 14	30	55,1 m ²	210 cm	210 cm	120, 150, 180, 210 cm	-	-	wood	●	●	●	●
WD1413	●	627 cm	319 cm	340 cm	3 - 14	51	56,2 m ²	220 cm	-	120, 150, 180 cm	-	-	wood	●	●	●	●
WD1450	●	535 cm	510 cm	235 cm	7 - 16	31	44,9 m ²	220 cm	120, 150 cm	120, 150 cm	-	-	wood	●	●	●	●



WD1439



WD1452



WD1453



WD1451

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction					Panels variants					
										steel	inox	wood	HDPE	HPL						
WD1439	-	306 cm	230 cm	230 cm	3 - 14	17	29,9 m ²	220 cm	-	120, 150 cm	-	-	wood	HDPE	HPL					
WD1452	-	528 cm	428 cm	260 cm	7 - 16	31	46,5 m ²	250 cm	-	150, 180 cm	-	-	wood	HDPE	HPL					
WD1453	-	686 cm	547 cm	230 cm	4 - 16	36	54,8 m ²	200 cm	-	150 cm	-	-	wood	HDPE	HPL					
WD1451	-	427 cm	206 cm	260 cm	7 - 16	14	33,2 m ²	250 cm	-	150, 180 cm	-	-	wood	HDPE	HPL					



WD1415



WD1414



WD1433


New!




WD1580



WD1581



WD1418-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1433	●	300 cm	275 cm	250 cm	1 - 8	14	24,7 m ²	<60 cm	59 cm	35, 59 cm	-	-	●	●●●●●
WD1414	●	395 cm	330 cm	260 cm	3 - 14	21	31,1 m ²	90 cm	90 cm	90 cm	-	-	●	●●●●●
WD1415	●	615 cm	395 cm	290 cm	3 - 14	34	47,5 m ²	120 cm	90, 120 cm	90, 120 cm	-	-	●	●●●●●
WD1580	●	1280 cm	735 cm	486 cm	3 - 14	82	96,9 m ²	180 cm	120, 150, 180 cm	120, 150, 180 cm	-	-	●	●●●●●
WD1581	●	1097 cm	424 cm	486 cm	3 - 14	52	69,4 m ²	150 cm	90, 150 cm	35, 90, 120, 150 cm	-	-	●	●●●●●
WD1418-1	●	1575 cm	782 cm	486 cm	3 - 14	120	128,7 m ²	180 cm	120, 150, 180* cm	120, 150, 180 cm	-	-	●	●●●●●

*Height of tube slides.







WD1430



WD1431




WD1432



WD1550



WD1551



WD1552

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1430		154 cm	99 cm	120 cm	1 - 8	9	16,2 m ²	110 cm	-	-	-	-	-	-
WD1431		154 cm	99 cm	120 cm	1 - 8	11	16,2 m ²	110 cm	-	-	-	-	-	-
WD1432		154 cm	104 cm	120 cm	1 - 8	9	162 m ²	110 cm	-	-	-	-	-	-
WD1550		386 cm	336 cm	260 cm	1 - 12	28	33,3 m ²	90 cm	90 cm	90, 120 cm	-	-	-	-
WD1551		292 cm	220 cm	214 cm	1 - 8	12	25,3 m ²	< 60 cm	59 cm	59 cm	-	-	-	-
WD1552		244 cm	100 cm	184 cm	1 - 8	10	19,9 m ²	< 60 cm	-	35 cm	-	-	-	-

Characteristics of the WOODEN series:



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel elements



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels



PE tube slides

Colour & material options*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C11E HDPE - multicolour
- C3 HPL - RAL5024
- C9 HPL - wood pattern



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

solo.

Fun for youngsters!

The SOLO series is a paradise for preschoolers, which is ruled by sand, water, sound and movement.

Free fun develops natural creativity of the child, encourages to do experiments and triggers the desire to cooperate with other children.

The richness of colours, manual and sound elements, along with educational panels: all these elements comprehensively stimulate the senses and the intellectual development of child.



0820



0810



0825




0811



0812




0813

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0820	●	170 cm	100 cm	100 cm	3 - 12	5	17,0 m ²	< 60 cm	●	-	-	●●●●	-
0825	-	734 cm	94 cm	166 cm	3 - 12	20	38,6 m ²	90 cm	●	-	-	●●●●	●●●●
0810	-	168 cm	94 cm	166 cm	3 - 12	5	16,5 m ²	< 60 cm	●	-	-	●●●●	●●●●
0811	-	143 cm	92 cm	74 cm	3 - 12	4	15,4 m ²	< 60 cm	●	-	-	●●●●	●●●●
0812	-	130 cm	89 cm	96 cm	3 - 12	4	14,8 m ²	90 cm	●	-	-	●●●●	●●●●
0813	-	143 cm	94 cm	165 cm	3 - 12	6	15,4 m ²	< 60 cm	●	-	-	●●●●	●●●●



0824




0840




0821





0822



0841

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0824	●	188 cm	141 cm	155 cm	1 - 8	13	17,6 m ²	< 60 cm	●	-	-	●●●●	-
0840	●	128 cm	76 cm	119 cm	1 - 8	7	14,2 m ²	< 60 cm	●	-	-	●●●●	-
0821	-	173 cm	55 cm	133 cm	1 - 8	3	15,0 m ²	< 60 cm	●	-	-	●●●●	-
0822	●	204 cm	100 cm	73 cm	1 - 8	3	18,5 m ²	< 60 cm	●	-	-	●●●●	-
0841	●	378 cm	199 cm	144 cm	1 - 8	13	29,4 m ²	< 60 cm	●	-	-	●●●●	-




Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction		Panels variants		
												steel	inox	wood	HDPE	HPL
0830	-	177 cm	67 cm	175 cm	3 - 12	3	15,2 m ²	< 60 cm	90 cm	135 cm	90 cm	●	-	-	●●●●	-
0831	-	218 cm	67 cm	205 cm	3 - 14	4	16,3 m ²	120 cm	120 cm	180 cm	120 cm	●	-	-	●●●●	-
0832	-	270 cm	67 cm	235 cm	3 - 14	4	17,6 m ²	150 cm	150 cm	240 cm	150 cm	●	-	-	●●●●	-
WD1440	-	168 cm	84 cm	141 cm	1 - 8	3	15,8 m ²	< 60 cm	59 cm	88 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1441	-	203 cm	84 cm	171 cm	1 - 8	3	16,7 m ²	< 60 cm	90 cm	135 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1442	-	239 cm	84 cm	201 cm	3 - 14	3	17,9 m ²	< 60 cm	120 cm	180 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1443	-	285 cm	84 cm	231 cm	3 - 14	3	19,5 m ²	< 60 cm	150 cm	240 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1444	-	321 cm	84 cm	261 cm	3 - 14	3	20,8 m ²	< 60 cm	180 cm	285 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1445	-	358 cm	84 cm	291 cm	3 - 14	3	22,1 m ²	< 60 cm	210 cm	330 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1446	-	515 cm	84 cm	380 cm	3 - 14	3	26,8 m ²	< 60 cm	300 cm	513 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1447	-	635 cm	84 cm	480 cm	3 - 14	3	31,1 m ²	< 60 cm	400 cm	670 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1448	-	755 cm	84 cm	581 cm	3 - 14	3	35,2 m ²	< 60 cm	500 cm	826 cm	35 cm	-	-	●	●●●●●	●●●●●





Modular system!



0801-1




0802-1



More configurations available on www.vinci-play.com

More configurations available on www.vinci-play.com



0800


WD1416




WD1482

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels			
									steel	inox	wood	HDPE	HPL		
0801-1	-	178 cm	178 cm	30 cm	1 - 12	11	20,9 m ²	< 60 cm	●	-	-	●	●	●	●
0802-1	-	323 cm	287 cm	43 cm	1 - 12	18	29,1 m ²	< 60 cm	●	-	-	●	●	●	●
0800	●	30 cm	30 cm	40 cm	1 - 12	1	8,9 m ²	< 60 cm	●	-	-	●	●	●	●
WD1416	-	415 cm	165 cm	140 cm	1 - 12	11	27,0 m ²	< 60 cm	-	-	●	●	●	●	●
WD1482	●	139 cm	139 cm	78 cm	1 - 12	8	17,3 m ²	< 60 cm	-	-	●	●	●	●	●



Modular system!



WD1458




WD1429



More configurations available on www.vinci-play.com

More configurations available on www.vinci-play.com



WD1457-1



WD1455



WD1456


Product code	Icon	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1458	-	258 cm	258 cm	28 cm	1 - 12	16	29,2 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1429	-	254 cm	221 cm	28 cm	1 - 12	9	21,8 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1457-1	-	380 cm	210 cm	35 cm	1 - 12	11	32,5 m ²	< 60 cm	-	-	● ●	-	
WD1455	●	348 cm	171 cm	191 cm	1 - 12	23	28,6 m ²	< 60 cm	-	-	● ●	● ● ● ●	
WD1456	●	145 cm	62 cm	170 cm	1 - 12	5	13,7 m ²	< 60 cm	-	-	● ●	-	



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1427	●	167 cm	97 cm	114 cm	1 - 8	5	14,5 m ²	< 60 cm	-	-	●	● ● ● ● ●	
WD1467	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m ²	< 60 cm	-	-	●	● ● ● ● ●	
WD1468	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m ²	< 60 cm	-	-	●	● ● ● ● ●	
WD1469	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m ²	< 60 cm	-	-	●	● ● ● ● ●	
WD1470	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	● ● ● ● ●	
WD1471	●	84 cm	12 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	● ● ● ● ●	
WD1472	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m ²	< 60 cm	-	-	● ●	-	



WD1473



WD1474




WD1475



WD1476



WD1477



WD1478



WD1560



WD1561



WD1562




WD1563



WD1564



WD1565

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1473	●	84 cm	21 cm	130 cm	1 - 8	1	10,4 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1474	●	84 cm	21 cm	130 cm	1 - 8	2	10,4 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1475	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1476	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1477	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1478	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	●	
WD1560	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1561	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1562	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1563	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1564	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m ²	< 60 cm	-	-	●	● ● ● ●	
WD1565	●	84 cm	10 cm	130 cm	1 - 8	1	10,0 m ²	< 60 cm	-	-	●	● ● ● ●	




0122




0120



0121



0806-1




0808-1




0809



0804



0685

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels			
									steel	inox	wood	HDPE	HPL		
0122	●	144 cm	77 cm	97 cm	1 - 12	4	13,2 m ²	< 60 cm	●	●	-	●	●	●	●
0120	●	76 cm	15 cm	97 cm	1 - 12	2	9,9 m ²	< 60 cm	●	●	-	●	-	●	-
0121	●	80 cm	77 cm	97 cm	1 - 12	3	11,6 m ²	< 60 cm	●	●	-	●	●	●	●
0806-1	●	90 cm	15 cm	165 cm	3 - 12	2	10,3 m ²	< 60 cm	●	-	-	●	-	●	-
0808-1	●	35 cm	17 cm	100 cm	3 - 12	2	8,8 m ²	< 60 cm	-	●	-	●	-	●	-
0804	●	120 cm	17 cm	130 cm	3 - 12	2	11,4 m ²	< 60 cm	●	-	-	●	-	●	-
0685	-	84 cm	79 cm	123 cm	3 - 12	2	11,5 m ²	< 60 cm	-	●	-	●	-	-	-
0809	-	81 cm	81 cm	300 cm	3 - 12	4	11,7 m ²	< 60 cm	●	-	-	-	-	-	-







1760



1761




1762



1763



1770




1771



1772



1720




1722



1721

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
1760	●	81 cm	14 cm	134 cm	1 - 8	2	10,0 m ²	< 60 cm	●	●	-	● ● ● ● ● ●	-
1761	●	81 cm	15 cm	134 cm	1 - 8	1	10,1 m ²	< 60 cm	●	●	-	● ● ● ● ● ●	-
1762	●	81 cm	12 cm	134 cm	1 - 8	1	10,0m ²	< 60 cm	●	●	-	● ● ● ● ● ●	-
1763	●	91 cm	22 cm	143 cm	1 - 8	2	10,5 m ²	< 60 cm	●	●	-	● ● ● ● ● ●	-
1770	●	81 cm	38 cm	134 cm	1 - 8	1	10,9 m ²	< 60 cm	●	●	-	● ● ● ● ● ●	-
1771	●	130 cm	17 cm	116 cm	1 - 8	2	11,7 m ²	< 60 cm	●	●	-	● ● ● ● ● ●	-
1772	●	137 cm	77 cm	206 cm	1 - 8	5	12,5 m ²	< 60 cm	●	●	-	● ● ● ● ● ●	-
1720	●	240 cm	77 cm	206 cm	1 - 8	7	16,2 m ²	67 cm	●	●	-	● ● ● ● ● ●	-
1721	●	349 cm	166 cm	206 cm	1 - 8	10	21,6 m ²	80 cm	●	●	-	● ● ● ● ● ●	-
1722	●	263 cm	112 cm	206 cm	1 - 8	6	20,2 m ²	< 60 cm	●	●	-	● ● ● ● ● ●	-



Modular system!



WP2801



WP2804



WP2802



WP2805



WP2807




WP2808



WP2803



WP2806

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WP2801	●	101 cm	19 cm	-	1 - 12	4	10,9 m ²	< 60 cm	-	●	-	-	-
WP2804	●	101 cm	19 cm	-	1 - 12	4	10,9 m ²	< 60 cm	-	●	-	-	-
WP2802	●	151 cm	19 cm	-	1 - 12	6	12,4 m ²	< 60 cm	-	●	-	-	-
WP2805	●	151 cm	19 cm	-	1 - 12	6	12,5 m ²	< 60 cm	-	●	-	-	-
WP2807	●	61 cm	61 cm	-	1 - 12	5	11,1 m ²	< 60 cm	-	●	-	-	-
WP2808	●	121 cm	61 cm	-	1 - 12	7	13,3 m ²	< 60 cm	-	●	-	-	-
WP2803	●	201 cm	19 cm	-	1 - 12	8	14,0 m ²	< 60 cm	-	●	-	-	-
WP2806	●	201 cm	19 cm	-	1 - 12	8	14,1 m ²	< 60 cm	-	●	-	-	-



0816



0817



0823

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
								steel	inox	wood	HDPE	HPL
0816	94 cm	87 cm	60 cm	3 - 12	3	12,1 m ²	< 60 cm	●	-	-	● ● ● ● ●	● ● ● ● ●
0817	120 cm	50 cm	59 cm	3 - 12	2	12,0 m ²	< 60 cm	●	-	-	● ● ● ● ●	● ● ● ● ●
0823	395 cm	100 cm	160 cm	3 - 16	2	19,9 m ²	90 cm	-	●	-	-	-

Characteristics of the SOLO series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options*:



Colour (panels):

- C11E HDPE - multicolour
- HDPE RAL6024 / ● HPL RAL6000
- HDPE RAL5015 / ● HPL RAL5024
- C12E HDPE - grey/black
- HDPE RAL3020 / ● HPL RAL3000
- HDPE RAL8024 / ● HPL wood pattern



Construction:

- Painted steel
- Stainless steel



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

minisweet

Colourful series for the youngest

The MINISWEET series consists of playground equipment designed for the youngest children and preschoolers.

Friendly houses, tunnels and slides are an ideal place to have fun together. This is also where the child learns the principles of functioning in a group while perfecting its language skills.

Minisweet devices encourage children to exercise and support the development of key mobility aptitudes. They allow every toddler to enjoy joyful and carefree fun.



0106-1C1











0100C1



0103C1



0101-1C1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels			
											steel	inox	wood	HDPE	HPL		
0106-1C1		315 cm	170 cm	220 cm	1 - 8	12	23,3 m ²	< 60 cm	59 cm	12, 35, 59 cm			-				
0100C1		100 cm	100 cm	170 cm	1 - 8	3	13,9 m ²	< 60 cm	-	12 cm			-				
0103C1		255 cm	240 cm	170 cm	1 - 8	14	22,9 m ²	< 60 cm	-	12 cm			-				
0101-1C1		160 cm	100 cm	170 cm	1 - 8	7	15,4 m ²	< 60 cm	-	12 cm			-				



0108-2C2



0102C2



0107C3



0105C3



0109-1C9



0104C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels					
											steel	inox	wood	HDPE	HPL				
0108-2C2		305 cm	160 cm	170 cm	1 - 8	19	24,9 m ²	< 60 cm	-	-			-						
0102C2		165 cm	160 cm	170 cm	1 - 8	12	17,7 m ²	< 60 cm	-	12 cm			-						
0107C3		320 cm	245 cm	220 cm	1 - 8	17	25,8 m ²	< 60 cm	59 cm	12, 35, 59 cm			-						
0105C3	-	175 cm	160 cm	220 cm	1 - 8	7	18,1 m ²	< 60 cm	59 cm	35, 59 cm			-						
0109-1C9	-	320 cm	370 cm	220 cm	1 - 8	21	32,9 m ²	< 60 cm	59 cm	12, 35, 59 cm			-						
0104C9		220 cm	100 cm	220 cm	1 - 8	6	17,9 m ²	< 60 cm	59 cm	59 cm			-						





0110



0111



0112



0114



0113

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels			
										steel	inox	wood	HDPE	HPL		
0110	260 cm	250 cm	250 cm	1 - 8	15	26,8 m ²	< 60 cm	59, 90 cm	59, 90 cm	●	●	-	●	●	●	●
0111	255 cm	200 cm	240 cm	1 - 8	11	21,7 m ²	< 60 cm	59 cm	59 cm	●	●	-	●	●	●	●
0112	260 cm	160 cm	250 cm	1 - 8	11	20,1 m ²	< 60 cm	90 cm	59, 90 cm	●	●	-	●	●	●	●
0113	410 cm	290 cm	270 cm	1 - 8	27	30,5 m ²	90 cm	59 cm	59, 90 cm	●	●	-	●	●	●	●
0114	335 cm	350 cm	250 cm	1 - 8	26	34,9 m ²	90 cm	59 cm	59, 90 cm	●	●	-	●	●	●	●

Characteristics of the MINISWEET series:



Stainless steel construction or elements



Galvanised steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C3 HPL - RAL5024
- C9 HPL - wood pattern
- C11E HDPE - multicolour



Construction:

- Painted steel RAL7040
- Stainless steel



Platforms:

- - HEXA HPL
- - HEXA plywood



Slides:

- - Stainless steel
- - Fiberglass



Anchoring:

- - Surface
- - Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

steel!

Classic tower sets

The STEEL series consists of classic structures that offer unlimited fun for older children. The sets of equipment from this series can be perfectly adapted to the needs of children and the available space.

Rows of towers connected by various attractive movable elements make for a great training ground for motor coordination. They allow a large group of children to play together at the same time, which helps to establish relationships and also teaches teamwork as well as healthy competition.



0204C9



0814C9




0815-2C9



0201-1C9



0200C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels				
											steel	inox	wood	HDPE	HPL			
0204C9	-	455 cm	404 cm	321 cm	3 - 14	14	38,2 m ²	180 cm	120 cm	120 cm	●	-	-	●	●	●	●	●
0814C9	●	100 cm	97 cm	164 cm	1 - 8	4	14,0 m ²	< 60 cm	-	10 cm	●	-	-	●	●	●	●	●
0815-2C9	●	175 cm	99 cm	164 cm	1 - 8	5	16,9 m ²	< 60 cm	-	10 cm	●	-	-	●	●	●	●	●
0201-1C9	-	272 cm	166 cm	321 cm	3 - 14	5	21,5 m ²	120 cm	120 cm	120 cm	●	-	-	●	●	●	●	●
0200C9	-	209 cm	162 cm	176 cm	3 - 14	7	19,7 m ²	90 cm	90 cm	90 cm	●	-	-	●	●	●	●	●



0212C1



0202-1C1



0203-1C1



0205-1C2



0213C2



0207C2



0208C3



0209C3



0206C3

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels			
										steel	inox	wood	HDPE	HPL		
0212C1	- 283 cm	185 cm	291 cm	3 - 14	8	22,6 m ²	90 cm	90 cm	90 cm	●	-	-	●	●	●	●
0202-1C1	- 345 cm	274 cm	321 cm	3 - 14	8	28,4 m ²	120 cm	120 cm	120 cm	●	-	-	●	●	●	●
0203-1C1	- 361 cm	345 cm	321 cm	3 - 14	14	35,0 m ²	120 cm	120 cm	120 cm	●	-	-	●	●	●	●
0205-1C2	- 540 cm	365 cm	351 cm	3 - 14	16	44,4 m ²	150 cm	120, 150 cm	120, 150 cm	●	-	-	●	●	●	●
0213C2	- 400 cm	330 cm	292 cm	3 - 14	17	36,6 m ²	90 cm	90 cm	90 cm	●	-	-	●	●	●	●
0207C2	- 470 cm	440 cm	321 cm	3 - 14	18	44,1 m ²	120 cm	90, 120 cm	90, 120 cm	●	-	-	●	●	●	●
0208C3	- 495 cm	470 cm	351 cm	3 - 14	30	51,0 m ²	150 cm	90, 150 cm	90, 150 cm	●	-	-	●	●	●	●
0209C3	● 633 cm	556 cm	352 cm	3 - 14	25	59,6 m ²	150 cm	120, 150 cm	120, 150 cm	●	-	-	●	●	●	●
0206C3	- 537 cm	457 cm	321 cm	3 - 14	23	55,9 m ²	210 cm	-	120 cm	●	-	-	●	●	●	●





0211-1C3



0214C3



0210-1C3

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels	
											steel	inox	wood	HDPE	HPL
0211-1C3		1145 cm	910 cm	409 cm	3 - 14	78	160,0 m ²	210 cm	90, 180, 210 cm	35, 40, 59, 90, 120, 150, 180, 210 cm		-	-		
0214C3	-	809 cm	725 cm	322 cm	3 - 14	45	90,4 m ²	210 cm	120, 150 cm	120, 150 cm		-	-		
0210-1C3		980 cm	932 cm	351 cm	3 - 14	55	107,6 m ²	180 cm	90, 150, 180 cm	35, 40, 90, 120, 150 cm		-	-		

Characteristics of the STEEL series:



Galvanised steel construction or elements



HPL HEXA platforms



HDPE panels



Stainless steel elements



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options* :



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C11E HDPE - multicolour
- C3 HPL - RAL5024
- C9 HPL - wood pattern



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com



Unique houses

The CROOC series is all about beautiful, unique designs, vibrant colours and multi-tower playground sets that allow large group to have fun together.

Fairytale houses encourage children to engage in role-playing activities with their fellows. Element merging platforms, ladders, climbing walls and slides of different difficulty levels comprehensively stimulate the proper motor development of each child.

This series guarantees that the child's energy is channeled effectively.



0305



0310



0306



0300S1



0303



0304



0300

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	HPL
0305	●	324 cm	292 cm	250 cm	3 - 12	15	30,3 m ²	90 cm	59, 90 cm	59, 90 cm	-	●	-	-	●	●
0310	-	201 cm	105 cm	122 cm	5 - 14	8	18,1 m ²	120 cm	-	-	●	●	-	-	●	●
0306	●	400 cm	322 cm	284 cm	3 - 12	16	32,3 m ²	120 cm	90, 120 cm	90, 120 cm	-	●	-	-	●	●
0300S1	●	450 cm	370 cm	340 cm	5 - 14	19	36,1 m ²	180 cm	180 cm	90, 180 cm	-	●	-	-	●	●
0303	●	419 cm	330 cm	331 cm	3 - 14	15	33,5 m ²	180 cm	90, 180 cm	90, 180 cm	-	●	-	-	●	●
0304	-	258 cm	254 cm	244 cm	3 - 12	9	24,0 m ²	90 cm	90 cm	90 cm	-	●	-	-	●	●
0300	●	630 cm	370 cm	340 cm	5 - 14	19	42,2 m ²	180 cm	180* cm	90, 180 cm	-	●	-	-	●	●










*Height of tube slides.



0301S1












0301

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction				Panels	
											steel	inox	wood	HDPE	HDPE	HPL
0301S1		775 cm	945 cm	370 cm	5 - 14	43	69,6 m ²	210 cm	180, 210 cm	90, 120, 180, 210 cm	-		-	-		
0301		965 cm	945 cm	370 cm	5 - 14	43	75,6 m ²	210 cm	180, 210* cm	90, 120, 180, 210 cm	-		-	-		

*Height of tube slides.




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels		
											steel	inox	wood	HDPE	HPL	
0302		1460 cm	1060 cm	370 cm	5 - 14	64	112,6 m ²	210 cm	180, 210* cm	90, 120, 180, 210 cm	-		-	-		
0302S1		1120 cm	945 cm	370 cm	5 - 14	64	101,2 m ²	210 cm	180, 210 cm	90, 120, 180, 210 cm	-		-	-		

*Height of tube slides.







0330

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels
0330	1492 cm	672 cm	616 cm	5 - 14	110	101,3 m ²	210 cm	210* cm	90, 110, 120, 150, 180, 210 cm	- ● - -	- ●

*Height of tube slides.

Characteristics of the CROOC series:



Stainless steel construction or elements



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels and platforms



Stainless steel slides



Stainless steel tube slides



Durable connectors



Ropes with steel core



Protective tops

Colour & material options*:



Colour (panels):

- CSH HPL - multicolour
- C9 HPL - wood pattern



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com


climbo

Climb, crawl and pull-up

The CLIMBOO series comprises equipment that develops the fitness and coordination of older children, increasing their faith in their own abilities.

Various climbing ladders and walls with a varying level of difficulty strengthen the muscles and teach the child to concentrate and maintain balance.

This series is the perfect place to organise competitive games where exciting physical challenges are coupled with maximum safety.



WD1420



WD1464



WD1428



WD1426



WD1417



WD1419



WD1466

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
WD1420	-	290 cm	255 cm	200 cm	3 - 14	18	31,8 m ²	190 cm	-	-	-	● / ●	● / ● / ● / ●	● / ● / ● / ●
WD1464	-	158 cm	10 cm	46 cm	7 - 16	4	12,2 m ²	< 60 cm	-	-	-	●	-	-
WD1428	-	208 cm	10 cm	131 cm	3 - 14	4	13,8 m ²	122 cm	-	-	-	●	-	-
WD1426	-	220 cm	87 cm	170 cm	3 - 14	4	18,2 m ²	99 cm	-	-	-	●	-	-
WD1417	-	162 cm	91 cm	230 cm	3 - 14	9	22,1 m ²	220 cm	-	-	-	● / ●	● / ● / ● / ●	● / ● / ● / ●
WD1419	-	310 cm	306 cm	230 cm	3 - 14	11	31,2 m ²	220 cm	-	-	-	● / ●	● / ● / ● / ●	● / ● / ● / ●
WD1466	-	232 cm	158 cm	200 cm	7 - 16	19	25,3 m ²	190 cm	-	-	-	●	-	-



WD1465




WD1487



WD1460




WD1462




WD1459

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants		
									steel	inox	wood	HDPE / HPL	ropes	
WD1465	-	158 cm	84 cm	200 cm	7 - 16	6	20,2 m ²	190 cm	-	-	-	●	-	-
WD1487	-	290 cm	255 cm	230 cm	7 - 16	18	30,7 m ²	220 cm	-	-	-	●	-	-
WD1460	-	232 cm	87 cm	110 cm	1 - 8	7	16,7 m ²	99 cm	-	-	-	●	● / ●	● ● ● ●
WD1459	-	102 cm	84 cm	104 cm	1 - 12	1	13,5 m ²	< 60 cm	-	-	-	●	● / ●	-
WD1462	-	240 cm	233 cm	230 cm	3 - 14	23	33,9 m ²	220 cm	120 cm	-	-	●	● / ●	● ● ● ●



WD1461



WD1463

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
									steel	inox	wood	HDPE / HPL	ropes
WD1461	-	535 cm	306 cm	3 - 14	28	44,7 m ²	< 60 cm	29, 59 cm	-	-	●	● / ●	● / ● / ●
WD1463	-	536 cm	316 cm	7 - 16	52	60,4 m ²	220 cm	120, 150 cm	-	-	●	● / ●	● / ● / ●



Modular system!




0411



0410



0409



0499



0404-1



0401



0402




0403



0405-1



0406



0407




0408

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
									steel	inox	wood	HDPE / HPL	ropes
0411	250 cm	10 cm	30 cm	3 - 12	5	15,1 m ²	< 60 cm	29 cm	●	-	-	-	-
0410	230 cm	115 cm	59 cm	3 - 14	5	18,7 m ²	< 60 cm	59 cm	●	-	-	-	-
0409	210 cm	125 cm	80 cm	3 - 14	9	19,7 m ²	80 cm	59, 80 cm	●	-	-	-	-
0499	133 cm	180 cm	40 cm	3 - 14	4	18,9 m ²	< 60 cm	-	-	-	●	● / -	● ●
0404-1	241 cm	88 cm	121 cm	3 - 14	3	19,1 m ²	< 60 cm	34 cm	●	-	-	-	● ● ● ●
0401	176 cm	92 cm	194 cm	3 - 14	8	19,8 m ²	180 cm	-	●	-	-	-	● ● ● ●
0402	256 cm	172 cm	194 cm	3 - 14	13	26,1 m ²	180 cm	-	●	-	-	-	● ● ● ●
0403	350 cm	311 cm	194 cm	3 - 14	8	30,0 m ²	180 cm	-	●	-	-	-	● ● ● ●
0405-1	474 cm	88 cm	195 cm	3 - 14	10	31,8 m ²	194 cm	-	●	-	-	-	● ● ● ●
0406	241 cm	88 cm	195 cm	3 - 14	6	24,2 m ²	194 cm	-	●	-	-	-	-
0407	302 cm	8 cm	165 cm	3 - 14	6	16,6 m ²	150 cm	-	●	-	-	-	-
0408	169 cm	60 cm	135 cm	3 - 14	6	14,9 m ²	120 cm	-	●	-	-	-	-



1750




1714




1716


Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
									steel	inox	wood	HDPE / HPL	ropes
1750	-	229 cm	155 cm	166 cm	7	16,2 m ²	147 cm	-	●	●	-	-	-
1714	-	260 cm	68 cm	289 cm	4	22,0 m ²	200 cm	-	●	●	-	● / -	●
1716	-	453 cm	187 cm	241 cm	17	39,0 m ²	225 cm	-	●	●	-	-	●




0419-1



0418-1




0417-1



0416-1



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0419-1	-	700 cm	700 cm	450 cm	3 - 14	44	78,5 m ²	100 cm	-	●	-	-	-	● ● ● ●
0418-1	-	305 cm	305 cm	300 cm	3 - 14	14	34,8 m ²	99 cm	-	●	-	-	-	● ● ● ●
0417-1	-	260 cm	260 cm	250 cm	3 - 14	10	30,8 m ²	99 cm	-	●	-	-	-	● ● ● ●
0416-1	-	170 cm	170 cm	250 cm	3 - 14	4	17,8 m ²	70 cm	-	●	-	-	-	● ● ● ●





Product code	Icon	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0420	-	2439 cm	309 cm	391 cm	5 - 14	1	87,9 m ²	175 cm	98 cm	●	-	-	-	-
0421	-	2417 cm	298 cm	394 cm	5 - 14	2	139,5 m ²	175 cm	98 cm	●	-	-	-	-
0415	-	2255 cm	326 cm	346 cm	5 - 14	1	80,1 m ²	140 cm	59 cm	●	-	-	-	-

Characteristics of the CLIMBOO series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C11E HDPE - multicolour
- C3 HPL - RAL5024
- C9 HPL - wood pattern



Colour (ropes):

- L5 - blue
- L7 - red
- L6 - black
- L8 - beige



Platforms:

- HEXA HPL
- HEXA plywood



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com


nettix^x

Ropes, ladders and spinners


The NETTIX series comprises modern equipment in the form of ladders and rope crossings, which constitute a combination of carefree fun and effective fitness training.

Rope climbing stimulates the sense of balance, strengthens the muscles and improves the child's dexterity. It also encourages children to compete with each other.

This series is a creative adventure among ropes, where the boundaries are set only by the children's imagination.




1632



1638



1601




1602



1603



1604

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1632	-	365 cm	260 cm	225 cm	4 - 14	7	26,3 m ²	200 cm	●	-	-	● ● ● ●
1638	-	925 cm	260 cm	225 cm	4 - 14	15	51,3 m ²	200 cm	●	-	-	● ● ● ●
1601	-	336 cm	44 cm	223 cm	4 - 14	10	19,9 m ²	120 cm	●	-	-	● ● ● ●
1602	-	336 cm	72 cm	223 cm	4 - 14	5	21,8 m ²	100 cm	●	-	-	● ● ● ●
1603	-	336 cm	60 cm	223 cm	4 - 14	1	21,0 m ²	115 cm	●	-	-	● ● ● ●
1604	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m ²	120 cm	●	-	-	● ● ● ●



1605



1606



1607



1608

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options	
								steel	inox	wood		
1605	-	336 cm	43 cm	223 cm	4 - 14	4	27,2 m ²	200 cm	●	-	-	● ● ● ●
1606	-	336 cm	11 cm	223 cm	4 - 14	5	17,8 m ²	100 cm	●	-	-	● ● ● ●
1607	-	336 cm	11 cm	223 cm	4 - 14	5	24,9 m ²	200 cm	●	-	-	● ● ● ●
1608	-	336 cm	11 cm	223 cm	4 - 14	4	17,8 m ²	100 cm	●	-	-	● ● ● ●



1609



1635




1630



1610



1636



1631




1633




1634




1637

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1609	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m ²	100 cm	●	-	-	● ● ● ●
1635	-	258 cm	224 cm	223 cm	4 - 14	10	23,3 m ²	200 cm	●	-	-	● ● ● ●
1630	-	725 cm	180 cm	225 cm	4 - 14	14	43,6 m ²	200 cm	●	-	-	● ● ● ●
1610	-	336 cm	50 cm	223 cm	4 - 14	3	21,8 m ²	100 cm	●	-	-	● ● ● ●
1636	-	260 cm	225 cm	225 cm	4 - 14	8	23,7 m ²	200 cm	●	-	-	● ● ● ●
1631	-	650 cm	215 cm	225 cm	4 - 14	14	39,9 m ²	200 cm	●	-	-	● ● ● ●
1633	-	385 cm	365 cm	225 cm	4 - 14	3	32,9 m ²	70 cm	●	-	-	-
1634	-	365 cm	260 cm	225 cm	4 - 14	7	25,8 m ²	200 cm	●	-	-	● ● ● ●
1637	-	722 cm	625 cm	223 cm	4 - 14	16	51,3 m ²	200 cm	●	-	-	● ● ● ●



1639



1640



Product code	Icon	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1639		1109 cm	961 cm	223 cm	4 - 14	49	97,9 m ²	200 cm	●	-	-	● ● ● ●
1640		914 cm	908 cm	224 cm	4 - 14	44	112,0 m ²	200 cm	●	-	-	● ● ● ●

Characteristics of the NETTIX series:



Galvanised steel construction



Stainless steel elements



HPL HEXA platforms



Ropes with steel core



Spinning elements



Durable connectors



Stainless steel chains



Protective tops

Colour & material options*:



Colour (ropes):

- L5 - blue
- L7 - red
- L6 - black
- L8 - beige

*Material options apply to selected products, for more information visit: www.vinci-play.com

spring

Rocking and swaying

The SPRING series equals pure energy on springs. It satisfies the child's natural need for unrestrained and carefree swinging.

Colourful vehicles and happy animals encourage kids to jump energetically and sway in the rhythm of body movements.

The spring riders, which are so beloved by children, allow for joyful fun which also carries great benefits for kids' development.

New!



0608-2



0651



0652



0653



0655



0654













0602



0603




0604-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0608-2	-	70 cm	45 cm	80 cm	1 - 12	1	10,7 m ²	< 60 cm		-
0651	-	74 cm	22 cm	79 cm	1 - 12	1	10,1 m ²	< 60 cm		-
0652	-	71 cm	22 cm	78 cm	1 - 12	1	10,0 m ²	< 60 cm		-
0653	-	72 cm	22 cm	80 cm	1 - 12	1	10,0 m ²	< 60 cm		-
0655	-	72 cm	22 cm	80 cm	1 - 12	1	10,1 m ²	< 60 cm		-
0654	-	80 cm	22 cm	78 cm	1 - 12	1	10,3 m ²	< 60 cm		-
0602	-	82 cm	21 cm	79 cm	1 - 12	1	10,4 m ²	< 60 cm		-
0603	-	80 cm	21 cm	75 cm	1 - 12	1	10,3 m ²	< 60 cm		-
0604-1	-	78 cm	21 cm	77 cm	1 - 12	1	10,2 m ²	< 60 cm		-



0606



0623



0616



0609



0615-1












0607-1



0622



0633

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0606	-	80 cm	43 cm	86 cm	1 - 12	1	11,1 m ²	< 60 cm		-
0623	-	79 cm	78 cm	78 cm	1 - 12	2	12,4 m ²	< 60 cm		-
0616	-	85 cm	43 cm	74 cm	1 - 12	1	11,3 m ²	< 60 cm		-
0609	-	80 cm	43 cm	75 cm	1 - 12	1	11,1 m ²	< 60 cm		-
0615-1	-	62 cm	43 cm	80 cm	1 - 12	1	10,5 m ²	< 60 cm		-
0607-1	-	74 cm	43 cm	81 cm	1 - 12	1	10,9 m ²	< 60 cm		-
0622	-	79 cm	69 cm	84 cm	1 - 12	2	12,0 m ²	< 60 cm		-
0633	-	73 cm	43 cm	75 cm	1 - 12	1	10,9 m ²	< 60 cm		-








0632



0631



0630

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0632	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m ²	< 60 cm		-
0631	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m ²	< 60 cm		-
0630		110 cm	82 cm	82 cm	1 - 12	2	13,8 m ²	< 60 cm		-



0600-1



0601-1



0613-1



0611-1



0626



0610



0670



0660




0671



See also from the ROBINIA series : p.126



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0600-1	-	48 cm	29 cm	84 cm	1 - 12	1	9,5 m ²	< 60 cm		-
0601-1	-	140 cm	29 cm	84 cm	1 - 12	2	12,6 m ²	< 60 cm		-
0613-1	-	140 cm	120 cm	78 cm	1 - 12	4	14,3 m ²	< 60 cm		-
0611-1	-	110 cm	110 cm	54 cm	1 - 12	4	12,5 m ²	< 60 cm		-
0626	-	124 cm	21 cm	101 cm	1 - 12	2	11,7 m ²	< 60 cm		-
0610	-	160 cm	21 cm	86 cm	1 - 12	2	12,9 m ²	< 60 cm		-
0660	-	206 cm	181 cm	87 cm	1 - 12	6	18,8 m ²	< 60 cm		-
0670	-	333 cm	25 cm	85 cm	1 - 12	4	13,6 m ²	< 60 cm		-
0671	-	260 cm	116 cm	89 cm	3 - 12	8	16,0 m ²	< 60 cm		-



0627

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0627	-	493 cm	431 cm	46 cm	3 - 12	23	45,4 m ²	< 60 cm		-



0612-1



0681



0617-1



0621-1



0619



0624



0625

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0612-1	-	104 cm	27 cm	46 cm	3 - 12	1	11,3 m ²	< 60 cm		-
0681	-	67 cm	60 cm	55 cm	3 - 12	2	12,3 m ²	< 60 cm		-
0617-1	-	45 cm	45 cm	61 cm	3 - 14	1	9,3 m ²	< 60 cm		-
0621-1		150 cm	100 cm	45 cm	3 - 14	5	16,1 m ²	< 60 cm		-
0619		100 cm	100 cm	45 cm	3 - 14	3	12,6 m ²	< 60 cm		-
0624	-	127 cm	32 cm	46 cm	3 - 14	2	12,1 m ²	< 60 cm	-	-
0625	-	298 cm	167 cm	45 cm	3 - 14	4	21,8 m ²	< 60 cm	-	-

Characteristics of the SPRING series:



HDPE panels



Stainless steel elements



Durable steel spring



HPL HEXA platforms

Colour & material options*:



Colour (panels):

- C11E HDPE - multicolour
- C12E HDPE - grey/black



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

swing

Swinging in full swing!

The SWING series includes classic equipment beloved by younger and older children.

Colourful single swings, see-saw swings, multi-swings with bird's nest seats and weight-balanced multi-swings offer a pleasant thrill for children and encourage them to play with their friends.

Rhythmic swing movement is an effective body balancing exercise that has a positive effect on the development of the muscular and nervous system.



ST0513



ST0522



ST0524



ST0525




WD1425



ST0500



ST0528

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Seats	
									steel	inox	wood	HDPE	HPL
ST0513	●	100 cm	290 cm	170 cm	3 - 12	7	15,5 m ²	105 cm	●	●	-	●●	-
ST0522	-	240 cm	39 cm	80 cm	1 - 8	2	9,7 m ²	< 60 cm	●	●	-	●●	-
ST0524	-	310 cm	40 cm	90 cm	3 - 14	2	11,4 m ²	99 cm	●	●	-	●●	-
ST0525	-	375 cm	40 cm	90 cm	3 - 14	4	12,9 m ²	99 cm	●	●	-	●●	-
WD1425	-	270 cm	40 cm	115 cm	3 - 14	2	10,5 m ²	99 cm	-	-	●	●●●●	●●●●
ST0500	-	270 cm	36 cm	80 cm	3 - 12	2	10,2 m ²	99 cm	●	-	-	●●	●●●●
ST0528	-	181 cm	109 cm	130 cm	5 - 12	2	17,7 m ²	< 60 cm	●	-	-	-	●



New!













ST0529



ST0530



ST0531

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0529		244 cm	88 cm	75 cm	5 - 12	2	19,2 m ²	78 cm		-	-	
ST0530		264 cm	102 cm	106 cm	3 - 12	2	20,8 m ²	99 cm		-	-	
ST0531		218 cm	138 cm	133 cm	3 - 12	1	20,7 m ²	< 60 cm		-	-	



Available seats:



Modular system!

More configurations available on www.vinci-play.com



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0510	-	40 cm	155 cm	180 cm	1 - 3/3 - 14	1	11,4 m ²	99 cm	●	●	-	● ● ●
ST0511	-	40 cm	300 cm	180 cm	1 - 3/3 - 14	2	21,2 m ²	99 cm	●	●	-	● ● ●
ST0512	-	40 cm	440 cm	180 cm	1 - 3/3 - 14	3	29,8 m ²	99 cm	●	●	-	● ● ●



ST1421



ST1422



ST1491

Modular system!

More configurations available on www.vinci-play.com




ST0520



ST1424

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST1421	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m ²	130 cm	●	●	-	● ● ● ● ● ● ● ●
ST1422	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m ²	130 cm	●	●	-	● ● ● ● ● ● ● ●
ST1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m ²	130 cm	●	●	-	● ● ● ● ● ● ● ●
ST1424	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m ²	130 cm	●	●	-	● ● ● ● ● ● ● ●
ST0520	-	195 cm	250 cm	240 cm	1+	2	12,9 m ²	175 cm	●	●	-	● ● ● ● ● ● ● ●



ST1423



ST1492



ST1497



ST1494

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST1423	●	195 cm	320 cm	240 cm	3 - 12	7	18,1 m ²	130 cm	●	●	-	
ST1492	●	195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m ²	130 cm	●	●	-	
ST1497	●	195 cm	575 cm	240 cm	3 - 12	14	37,0 m ²	130 cm	●	●	-	
ST1494	●	195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m ²	130 cm	●	●	-	

Modular system!



WD1422-1



WD0520



WD1491



WD1421-1









WD1424-1

More configurations available on www.vinci-play.com

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
WD0520	-	195 cm	250 cm	240 cm	1+	2	12,9 m ²	175 cm	-	-	wood	
WD1421-1	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m ²	130 cm	-	-	wood	
WD1422-1	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m ²	130 cm	-	-	wood	
WD1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m ²	130 cm	-	-	wood	
WD1424-1	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m ²	130 cm	-	-	wood	



WD1423-1



WD1492



WD1494

Available seats:



WD1497

See also from the ROBINIA series : p.126



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
WD1423-1		195 cm	320 cm	240 cm	3 - 12	7	18,1 m ²	130 cm	-	-	wood	
WD1492		195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m ²	130 cm	-	-	wood	
WD1494		195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m ²	130 cm	-	-	wood	
WD1497		195 cm	575 cm	240 cm	3 - 12	14	37,0 m ²	130 cm	-	-	wood	





ST0515



ST0516





Available seats:

R2

R5



ST0517

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0515	-	640 cm	610 cm	240 cm	1 - 3/3 - 14	5	46,4 m ²	130 cm	●	-	-	
ST0516	-	560 cm	645 cm	240 cm	1 - 3/3 - 14	6	54,5 m ²	130 cm	●	-	-	
ST0517	●	337 cm	238 cm	293 cm	3 - 12	1	18,1 m ²	145 cm	●	-	-	



ST0509



ST0518



ST0519



ST0521

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0509		643 cm	558 cm	281 cm	3 - 12	6	49,0 m ²	130 cm		-	-	
ST0518	-	55 cm	400 cm	320 cm	6 - 14	1	29,1 m ²	< 60 cm		-	-	
ST0519	-	221 cm	199 cm	242 cm	3 - 14	3	52,8 m ²	130 cm		-	-	
ST0521	-	485 cm	306 cm	269 cm	3 - 14	4	13,5 m ²	130 cm		-	-	

Characteristics of the SWING series:

- Stainless steel construction or elements
- Galvanised steel construction or elements
- Wood construction
- Galvanised anchors
- Stainless steel chains
- Certified swing seats
- Durable connectors
- Protective tops
- Ropes with steel core

Colour & material options*:

- Colour (construction parts):
 - C1 - RAL6029
 - C4 - RAL1023
 - C12 - RAL7040
 - C8 - NCS-S-1060-G-60Y
 - Ci - stainless steel
 - Painted steel
 - Painted wood
 - Surface
 - C2 - RAL3020
 - C6 - RAL2009
 - C13 - RAL9005
 - C3 - RAL5015
 - Stainless steel
 - Deep
- Construction:
- Anchoring:

*Material options apply to selected products, for more information visit: www.vinci-play.com


hoop

Spin, spin!

The HOOP series consists of roundabouts and spinners which drive the world of laughing children.

Spinning is an important activity for the child's development as it promotes the maturation of the nervous system, stimulates the sense of balance, strengthens the muscles and the skeletal system. At the same time it is a source of exciting sensations. For an older child, it is often a favourite place of crazy fun with friends.

Colourful carousels encourage both younger and older children to have fun together.



0703-1


New!



0726




0728


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0703-1	-	120 cm	120 cm	73 cm	3 - 12	6	21,2 m ²	73 cm	-	●	-	-	● ● ● ● ● ●
0726	●	175 cm	175 cm	92 cm	3 - 12	2	26,0 m ²	92 cm	-	●	-	-	● ● ● ● ● ●
0728	●	219 cm	219 cm	89 cm	3 - 12	6	30,1 m ²	89 cm	-	●	-	-	● ● ● ● ● ●




0708-1



0702-2



0705-2



0706-1

See also from the ROBINIA series : s.126



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options				
									steel	inox	wood	HDPE	HPL			
0708-1	-	120 cm	120 cm	13 cm	3 - 12	4	21,2 m ²	< 60 cm	-	<input type="radio"/>	-	-	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
0702-2	-	120 cm	120 cm	73 cm	3 - 12	4	21,2 m ²	73 cm	-	<input type="radio"/>	-	-	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
0705-2	-	150 cm	150 cm	71 cm	3 - 12	5	23,8 m ²	71 cm	-	<input type="radio"/>	-	-	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
0706-1	-	150 cm	150 cm	68 cm	3 - 12	8	23,8 m ²	68 cm	-	<input type="radio"/>	-	-	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>




0710



0700-1




0701-1




0712




0713

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0710	-	55 cm	55 cm	60 cm	3 - 12	1	16,2 m ²	< 60 cm	-	●	-	-	-
0700-1	-	50 cm	50 cm	45 cm	3 - 12	3	15,6 m ²	< 60 cm	●	-	-	-	-
0701-1	-	50 cm	50 cm	140 cm	3 - 12	1	15,6 m ²	< 60 cm	●	-	-	-	-
0712	-	73 cm	73 cm	146 cm	3 - 12	2	17,6 m ²	< 60 cm	-	●	-	●	-
0713	-	90 cm	42 cm	147 cm	7 - 16	1	11,4 m ²	< 60 cm	-	●	-	●	-



0711

0714

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0711	-	72 cm	72 cm	180 cm	7 - 16	4	35,4 m ²	100 cm	●	-	-	-	-
0714	-	265 cm	35 cm	170 cm	5 - 12	2	34,4 m ²	99 cm	●	-	-	-	●

Characteristics of the HOOP series:



Stainless steel construction or elements



Galvanised steel construction or elements



HPL platforms



HPL panels



HDPE panels



Spinning elements



Movable elements

Colour & material options*:



Anchoring:

- Surface
- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

Robinia



Destination: nature!

The ROBINIA series consists of playground equipment made of natural raw material - Robinia acacia wood, the most durable wood found in Europe. The wood is characterized by natural, bright colours, has high weather resistance, does not require impregnation and can be anchored directly in the ground.

The unique Robinia series has been designed in a comprehensive way to enable creating an offer containing all types of playground equipment: from tower sets with many climbing elements, through spring riders, carousels and swings, to small architecture.



RB1203




RB1334



RB1201



RB1202

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1203	●	270 cm	270 cm	220 cm	1+	9	24,8 m ²	< 60 cm
RB1334	-	130 cm	130 cm	160 cm	1+	4	16,5 m ²	< 60 cm
RB1201	●	150 cm	150 cm	195 cm	1+	4	17,4 m ²	< 60 cm
RB1202	●	240 cm	150 cm	195 cm	1+	8	19,9 m ²	< 60 cm







RB1207



RB1205



RB1206


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1207		580 cm	340 cm	315 cm	2+	21	43,9 m ²	90 cm
RB1205	-	340 cm	220 cm	315 cm	2+	8	25,7 m ²	90 cm
RB1206	-	335 cm	350 cm	315 cm	2+	9	29,1 m ²	90 cm





RB1211

RB1215


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1211	●	460 cm	330 cm	375 cm	3+	10	32,1 m ²	150 cm
RB1215	-	630 cm	560 cm	435 cm	5+	22	51,2 m ²	238 cm



RB1216



RB1217

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1216	-	680 cm	680 cm	355 cm	5+	28	60,5 m ²	238 cm
RB1217	-	950 cm	890 cm	435 cm	5+	39	83,7 m ²	238 cm



RB1305




RB1301



RB1302



RB1311

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1305	-	620 cm	300 cm	250 cm	3+	6	35,3 m ²	130 cm
RB1301	-	295 cm	195 cm	200 cm	3+	5	21,2 m ²	90 cm
RB1302	-	385 cm	340 cm	200 cm	3+	12	32,9 m ²	165 cm
RB1311	-	630 cm	390 cm	250 cm	3+	22	51,2 m ²	200 cm



RB1231



RB1232



RB1235

RB1234




RB1233



RB1236



RB1237

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1231	●	490 cm	290 cm	400 cm	3+	12	29,8 m ²	90 cm
RB1235	●	370 cm	300 cm	300 cm	2+	6	28,1 m ²	110 cm
RB1232	●	320 cm	150 cm	160 cm	2+	9	22,2 m ²	110 cm
RB1234	●	400 cm	150 cm	350 cm	1+	9	24,8 m ²	110 cm
RB1233	●	590 cm	190 cm	310 cm	2+	8	33,2 m ²	110 cm
RB1236	-	320 cm	180 cm	500 cm	3+	3	21,8 m ²	150 cm
RB1237	-	820 cm	340 cm	400 cm	3+	20	49,4 m ²	90 cm



RB1238

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1238		850 cm	630 cm	460 cm	3+	40	76,0 m ²	150 cm





RB1241



RB1243




RB1244



RB1242




RB1245



RB1246



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1241	●	275 cm	130 cm	210 cm	1+	12	22,7 m ²	< 60 cm
RB1243	●	170 cm	130 cm	135 cm	1+	10	17,4 m ²	< 60 cm
RB1244	●	170 cm	130 cm	170 cm	1+	11	17,4 m ²	< 60 cm
RB1242	●	400 cm	270 cm	290 cm	2+	11	31,7 m ²	90 cm
RB1245	●	430 cm	230 cm	170 cm	1+	25	28,5 m ²	< 60 cm
RB1246	●	830 cm	350 cm	290 cm	2+	36	51,8 m ²	90 cm



RB1251



RB1252



RB1253



RB1259



RB1254



RB1258



RB1260




RB1255




RB1256



RB1257

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1251	-	20 cm	20 cm	30 cm	1+	1	8,8 m ²	< 60 cm
RB1252	-	100 cm	50 cm	35 cm	1+	2	11,5 m ²	< 60 cm
RB1253	-	200 cm	30 cm	50 cm	3+	3	14,1 m ²	< 60 cm
RB1259	-	180 cm	65 cm	30 cm	3+	5	15,0 m ²	< 60 cm
RB1254	-	400 cm	20 cm	50 cm	3+	7	21,1 m ²	< 60 cm
RB1258	-	280 cm	20 cm	40 cm	3+	6	17,3 m ²	< 60 cm
RB1255	-	300 cm	20 cm	50 cm	3+	6	18,2 m ²	< 60 cm
RB1256	-	500 cm	170 cm	70 cm	3+	11	25,6 m ²	65 cm
RB1257	-	630 cm	290 cm	70 cm	3+	16	34,0 m ²	63 cm
RB1260	-	255 cm	150 cm	130 cm	3+	4	20,7 m ²	< 60 cm



RB1264



RB1265



RB1266




RB1267



RB1263



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1264	-	200 cm	100 cm	160 cm	3+	4	15,6 m ²	126 cm
RB1265	-	270 cm	170 cm	160 cm	3+	6	17,8 m ²	126 cm
RB1266	-	180 cm	85 cm	140 cm	3+	6	16,5 m ²	120 cm
RB1267	-	180 cm	100 cm	200 cm	4+	6	22,2 m ²	190 cm
RB1263	-	330 cm	125 cm	99 cm	3+	12	23,9 m ²	80 cm



RB1262



RB1271



RB1272



RB1278



RB1279

Customise your own
obstacle course




RB1274



RB1270



RB1273

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1262	-	220 cm	130 cm	240 cm	5+	6	21,3 m ²	238 cm
RB1271	-	260 cm	50 cm	150 cm	3+	5	17,2 m ²	< 60 cm
RB1272	-	380 cm	60 cm	160 cm	3+	7	21,4 m ²	< 60 cm
RB1278	-	225 cm	70 cm	30 cm	3+	5	17,0 m ²	< 60 cm
RB1279	-	230 cm	140 cm	99 cm	2+	3	21,1 m ²	99 cm
RB1274	-	340 cm	210 cm	120 cm	3+	16	29,7 m ²	117 cm
RB1270	-	130 cm	120 cm	95 cm	1+	5	15,2 m ²	< 60 cm
RB1273	-	480 cm	290 cm	180 cm	3+	11	31,2 m ²	90 cm




RB1283





RB1284



RB1280

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1283	-	450 cm	140 cm	115 cm	4+	4	28,9 m ²	110 cm
RB1284	-	210 cm	75 cm	210 cm	4+	4	17,0 m ²	204 cm
RB1280	-	515 cm	475 cm	170 cm	4+	6	43,8 m ²	85 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1383	-	700 cm	700 cm	450 cm	3+	44	95,0 m ²	200 cm
RB1282	-	360 cm	50 cm	230 cm	3+	10	20,6 m ²	120 cm
RB1285	-	190 cm	95 cm	180 cm	3+	3	18,7 m ²	175 cm
RB1275	-	325 cm	260 cm	110 cm	3+	14	27,2 m ²	110 cm
RB1277	-	240 cm	240 cm	200 cm	4+	10	32,0 m ²	190 cm
RB1276	-	200 cm	195 cm	110 cm	3+	4	19,6 m ²	110 cm
RB1310	-	300 cm	250 cm	200 cm	4+	11	33,2 m ²	200 cm





RB1319



RB1281



RB1312

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1319	-	780 cm	690 cm	240 cm	3+	49	75,2 m ²	200 cm
RB1281		345 cm	330 cm	120 cm	3+	8	31,3 m ²	114 cm
RB1312	-	460 cm	455 cm	240 cm	5+	22	53,4 m ²	240 cm








RB1291



RB1295



Product number		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)
RB1291	-	215 cm	110 cm	185 cm	2+	3	17,1 m ²	90 cm	90 cm	153 cm	90 cm
RB1292	-	265 cm	110 cm	210 cm	2+	4	18,6 m ²	120 cm	120 cm	214 cm	120 cm
RB1293	-	310 cm	110 cm	240 cm	3+	4	19,8 m ²	150 cm	150 cm	266 cm	150 cm
RB1294	-	360 cm	110 cm	270 cm	4+	3	23,4 m ²	180 cm	180 cm	319 cm	180 cm
RB1295	-	205 cm	110 cm	180 cm	2+	3	16,9 m ²	< 60 cm	90 cm	153 cm	25 cm
RB1296	-	250 cm	110 cm	210 cm	2+	3	17,8 m ²	< 60 cm	120 cm	214 cm	25 cm
RB1297	-	290 cm	110 cm	240 cm	2+	3	18,9 m ²	< 60 cm	150 cm	266 cm	25 cm
RB1298	-	335 cm	110 cm	270 cm	3+	3	19,9 m ²	< 60 cm	180 cm	319 cm	25 cm
RB1299	-	375 cm	110 cm	300 cm	3+	3	21,2 m ²	< 60 cm	210 cm	372 cm	25 cm



RB1347



RB1332

Modular system!







RB1333



More configurations available on www.vinci-play.com




RB1331

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1347		100 cm	420 cm	170 cm	3+	2	20,2 m ²	90 cm
RB1332		230 cm	155 cm	180 cm	2+	11	20,8 m ²	< 60 cm
RB1333		565 cm	565 cm	210 cm	1+	52	70,7 m ²	< 60 cm
RB1331	-	200 cm	200 cm	25 cm	1+	5	23,0 m ²	< 60 cm






RB1340



RB1341



RB1342



RB1344




RB1343



RB1346



RB1345

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1340	●	130 cm	50 cm	110 cm	1+	2	13,0 m ²	< 60 cm
RB1341	●	160 cm	35 cm	150 cm	1+	2	13,4 m ²	< 60 cm
RB1342	●	130 cm	20 cm	140 cm	1+	2	12,2 m ²	< 60 cm
RB1344	●	325 cm	325 cm	150 cm	1+	10	25,2 m ²	< 60 cm
RB1343	●	130 cm	130 cm	140 cm	1+	4	15,0 m ²	< 60 cm
RB1346	●	45 cm	35 cm	110 cm	1+	2	9,2 m ²	< 60 cm
RB1345	●	40 cm	25 cm	100 cm	1+	2	9,6 m ²	< 60 cm



RB1363



RB1361



RB1362





RB1364



RB1369



RB1365

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1361	-	80 cm	40 cm	90 cm	1+	1	10,8 m ²	< 60 cm
RB1362	-	85 cm	40 cm	90 cm	1+	1	11,4 m ²	< 60 cm
RB1363	-	90 cm	40 cm	90 cm	1+	1	11,0 m ²	< 60 cm
RB1364	-	170 cm	135 cm	80 cm	3+	4	15,2 m ²	< 60 cm
RB1369		100 cm	100 cm	50 cm	3+	3	12,4 m ²	< 60 cm
RB1365	-	330 cm	25 cm	60 cm	1+	6	18,8 m ²	< 60 cm







RB1372



RB1373



RB1375

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1372	-	120 cm	120 cm	75 cm	3+	4	21,3 m ²	73 cm
RB1373	-	150 cm	150 cm	70 cm	3+	8	23,8 m ²	68 cm
RB1375	-	265 cm	20 cm	150 cm	3+	3	16,7 m ²	< 60 cm





RB1351



RB1352



RB1422



RB1491



RB1424

Modular system!




RB1421

Available seats:



More configurations available on www.vinci-play.com

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1351	-	330 cm	75 cm	99 cm	3+	2	13,4 m ²	99 cm
RB1352	-	420 cm	75 cm	99 cm	3+	4	15,9 m ²	99 cm
RB1422	-	210 cm	370 cm	240 cm	1+ / 3+	2	21,5 m ²	130 cm
RB1491	-	210 cm	560 cm	240 cm	1+ / 3+	3	35,2 m ²	130 cm
RB1424	-	210 cm	670 cm	240 cm	1+ / 3+	4	42,5 m ²	130 cm
RB1421	-	210 cm	260 cm	240 cm	1+ / 3+	1	13,0 m ²	130 cm

Modular system!



RB1423

More configurations available on www.vinci-play.com



RB1492



RB1494



RB1497




RB0520



RB0517



RB0513

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1423	●	210 cm	330 cm	240 cm	3+	7	18,1 m ²	130 cm
RB1492	●	210 cm	520 cm	240 cm	1+ / 3+	8	31,8 m ²	130 cm
RB1494	●	210 cm	630 cm	240 cm	1+ / 3+	9	40,3 m ²	130 cm
RB1497	●	210 cm	590 cm	240 cm	3+	14	37,0 m ²	130 cm
RB0520	-	210 cm	270 cm	240 cm	1+	2	12,9 m ²	175 cm
RB0517	●	250 cm	355 cm	300 cm	3+	1	18,1 m ²	145 cm
RB0513	●	100 cm	310 cm	180 cm	3+	7	15,5 m ²	105 cm



RB0510

Modular system!

More configurations available on www.vinci-play.com


Available seats:




RB0511



RB0512

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB0510	-	20 cm	170 cm	180 cm	1+ / 3+	1	11,4 m ²	99 cm
RB0511	-	20 cm	320 cm	180 cm	1+ / 3+	2	21,5 m ²	99 cm
RB0512	-	20 cm	470 cm	180 cm	1+ / 3+	3	31,0 m ²	99 cm



RB0515



RB0521-1




Available length:
20 m, 30 m, 40 m

RB1385



Available length:
20 m, 30 m, 40 m

RB1386

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB0515	-	650 cm	620 cm	240 cm	1+ / 3+	5	46,5 m ²	130 cm
RB0521-1	-	500 cm	320 cm	280 cm	3+	4	13,5 m ²	130 cm
RB1385	-	2460 cm	340 cm	400 cm	5+	1	83,8 m ²	175 cm
RB1386	-	2430 cm	300 cm	400 cm	5+	2	138,7 m ²	175 cm



RB1350



RB1349



RB1348



RB1399




RB1395




RB1392



RB1391

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1350	-	200 cm	100 cm	70 cm	-	-	-	-
RB1349	-	210 cm	180 cm	40 cm	-	-	-	-
RB1348	-	230 cm	220 cm	160 cm	-	-	-	-
RB1399	-	56 cm	15 cm	180 cm	-	-	-	-
RB1395	-	40 cm	30 cm	80 cm	-	-	-	-
RB1392	-	150 cm	45 cm	45 cm	-	-	-	-
RB1391	-	165 cm	70 cm	80 cm	-	-	-	-



RB1268




RB1396



RB1398



RB1397

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1268	-	275 cm	65 cm	120 cm	-	-	-	-
RB1396	-	180 cm	15 cm	90 cm	-	-	-	-
RB1398	-	135 cm	20 cm	110 cm	-	-	-	-
RB1397	-	170 cm	20 cm	100 cm	-	-	-	-

Characteristics of the ROBINIA series:



Robinia wood construction



Stainless steel elements



HPL panels



Stainless steel slides



Ropes with steel core



New series!

Products available in the first quarter of 2022

Anyone can be an athlete

The steel parts of the goals and baskets, fencing, guards and gates are hot-dip galvanised or made of durable composite and wooden elements, fully resistant to weather conditions or mechanical damages. The highest quality construction and materials are resistant to the loads associated with the use of the field. Thanks to the modularity of the size and functional design, as well as the possibility to choose the material and colour version, the Arena can be adapted to individual needs.



Adjust the size



Choose the equipment

Modular system!



More configurations available on www.vinci-play.com

- 1 Modular HDPE side panels
- 2 Segmental steel covers
- 3 Safety nets

- 4 Multi-module basketball baskets
- 5 System football goals
- 6 Freestanding basketball baskets

- 7 Wheelchair accessibility
- 8 System floorball goals
- 9 Optional size and shape of the field



SPORT


Want to play?

The SPORT series comprises football and hockey goals, basketball hoops and trampolines which all encourage children to take on sport challenges among their fellows. Jumping on a trampoline brings a lot of joy for every child, but it is also an effective exercise of balance, endurance and movement coordination.

The equipment from this series integrates kids while releasing the spirit of sport competition.



2002




2003




2022




2036



2200



2202

Product code		Product length	Product width	Product height	Safety zone	Free-fall height
2002	●	188 cm	100 cm	384 cm	-	-
2003	●	200 cm	60 cm	100 cm	-	-
2022	●	247 cm	96 cm	200 cm	-	-
2036	●	170 cm	100 cm	169 cm	-	-
2200	●	150 cm	150 cm	-	13,6 m ²	90 cm
2202	●	150 cm	150 cm	-	12,1 m ²	90 cm

Characteristics of the SPORT series:



Galvanised steel construction or elements



Reinforced belt fabric



Surface: coloured rubber




jumpoo

Jump to the sky!


Jumping on the trampolines is a great fun, but also a great training! It allows you to strengthen your muscles, improve fitness and coordination, and at the same time reduce stress and tension, allowing you to relax.

Our trampolines are available in various colours and thanks to the special structure of the elements, any combination of shapes.


New series!




2222




2211



2212



2213




2214


Modular system!




2221












2220



2223



2224

Product code		Product length	Product width	Product height	Age range	Safety zone	Free-fall height	Colour variants
2222	-	600 cm	375 cm	-	4 - 15	44,9 m ²	90 cm	
2211	-	150 cm	150 cm	-	4 - 15	12,6 m ²	90 cm	
2212	-	150 cm	150 cm	-	4 - 15	14,1 m ²	90 cm	
2213	-	200 cm	200 cm	-	4 - 15	18,3 m ²	90 cm	
2214		250 cm	150 cm	-	4 - 15	18,3 m ²	90 cm	
2221	-	375 cm	375 cm	-	4 - 15	30,6 m ²	90 cm	
2220	-	300 cm	300 cm	-	4 - 15	28,4 m ²	90 cm	
2223	-	743 cm	322 cm	-	4 - 15	44,2 m ²	90 cm	
2224	-	900 cm	674 cm	-	4 - 15	78,0 m ²	90 cm	

Characteristics of the JUMPOO series:



Galvanised steel construction



Stainless steel elements



Surface: coloured rubber



Durable anti-slip PA lamellas





1109



1110



1111-1



Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
								steel	inox	robina
1109	85 cm	44 cm	139 cm	14+	140 kg	11,3 m ²	< 60 cm	● ● ● ● ●	●	-
1110	85 cm	63 cm	174 cm	14+	140 kg	12,0 m ²	< 60 cm	● ● ● ● ●	●	-
1111-1	111 cm	49 cm	132 cm	14+	140 kg	13,2 m ²	89 cm	● ● ● ● ●	●	-





1112



1113



1114



1115



1116-1



1117

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			
									steel	inox	robinia	
1112		79 cm	71 cm	132 cm	14+	140 kg	12,1 m ²	< 60 cm				-
1113		214 cm	123 cm	132 cm	14+	140 kg	16,8 m ²	112 cm				-
1114		78 cm	65 cm	142 cm	14+	140 kg	11,9 m ²	< 60 cm				-
1115		167 cm	64 cm	166 cm	14+	140 kg	15,0 m ²	< 60 cm				-
1116-1		188 cm	75 cm	167 cm	14+	140 kg	16,4 m ²	< 60 cm				-
1117		79 cm	66 cm	132 cm	14+	140 kg	12,0 m ²	< 60 cm				-












RB1106



RB1113



RB1116

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robina
RB1106		140 cm	65 cm	141 cm	14+	140 kg	18,2 m ²	< 60 cm	-	-	
RB1113		218 cm	133 cm	145 cm	14+	140 kg	20,5 m ²	112 cm	-	-	
RB1116		188 cm	79 cm	178 cm	14+	140 kg	16,5 m ²	< 60 cm	-	-	



RB1117



RB1112



RB1108



RB1114



RB1110



RB1109



Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
								steel	inox	robinia
RB1117	89 cm	70 cm	155 cm	14+	140 kg	12,5 m ²	< 60 cm	-	-	●
RB1112	85 cm	73 cm	145 cm	14+	140 kg	12,4 m ²	< 60 cm	-	-	●
RB1108	84 cm	70 cm	155 cm	14+	140 kg	12,3 m ²	< 60 cm	-	-	●
RB1114	78 cm	73 cm	155 cm	14+	140 kg	12,2 m ²	< 60 cm	-	-	●
RB1110	85 cm	66 cm	174 cm	14+	140 kg	12,2 m ²	< 60 cm	-	-	●
RB1109	89 cm	47 cm	139 cm	14+	140 kg	11,6 m ²	< 60 cm	-	-	●

Characteristics of the FITNESS series:



Galvanised steel construction



Stainless steel construction or elements



Robinia wood construction



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops



Movable elements

Colour & material options*:



Colour (construction in steel):

● C8 - NCS-S-1060-G-60Y

● C16 - RAL6013

● C18 - NCS-S 2040-B10G

● C12 - RAL7040

● C17 - RAL4008

● Ci - stainless steel



Construction:

● Painted steel

● Robinia wood

● Stainless steel



Anchoring:

- Surface

- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

workout

As fit as a fiddle!

The WORKOUT series designed for development, keeping fit and returning to good physical condition. Steel and wooden structures with many bars and elements for training with the weight of your own body.

Modern design, durable materials and colour options, perfect for creating a contemporary sports ground.

New series!



2324



2301



2302



2303



2304



2305



2306

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2324	●	458 cm	379 cm	241 cm	14+	140 kg	39,9 m ²	228 cm	● ● ● ● ●	●	-
2301	●	194 cm	64 cm	72 cm	14+	140 kg	16,1 m ²	72 cm	● ● ● ● ●	●	-
2302	●	194 cm	68 cm	122 cm	14+	140 kg	16,3 m ²	112 cm	● ● ● ● ●	●	-
2303	●	194 cm	124 cm	122 cm	14+	140 kg	19,0 m ²	112 cm	● ● ● ● ●	●	-
2304	●	342 cm	13 cm	138 cm	14+	140 kg	18,2 m ²	127 cm	● ● ● ● ●	●	-
2305	●	151 cm	82 cm	83 cm	14+	140 kg	14,4 m ²	< 60 cm	● ● ● ● ●	●	-
2306	●	158 cm	82 cm	83 cm	14+	140 kg	14,6 m ²	< 60 cm	● ● ● ● ●	●	-



2307



2308



2309



2310



2311



2312




2313




2314



2315





2323



2325

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2307	●	168 cm	12 cm	241 cm	14+	140 kg	12,7 m ²	130 cm	● ● ● ● ●	●	-
2308	●	234 cm	12 cm	241 cm	14+	140 kg	24,5 m ²	231 cm	● ● ● ● ●	●	-
2309	●	123 cm	12 cm	241 cm	14+	140 kg	19,7 m ²	229 cm	● ● ● ● ●	●	-
2310	●	123 cm	12 cm	241 cm	14+	140 kg	18,9 m ²	230 cm	● ● ● ● ●	●	-
2311	●	153 cm	123 cm	347 cm	14+	140 kg	29,2 m ²	245 cm	● ● ● ● ●	●	-
2312	●	123 cm	86 cm	351 cm	14+	140 kg	25,5 m ²	249 cm	● ● ● ● ●	●	-
2313	●	123 cm	12 cm	241 cm	14+	140 kg	11,3 m ²	126 cm	● ● ● ● ●	●	-
2314	●	233 cm	122 cm	241 cm	14+	140 kg	20,6 m ²	139 cm	● ● ● ● ●	●	-
2315	●	233 cm	59 cm	242 cm	14+	140 kg	17,2 m ²	139 cm	● ● ● ● ●	●	-
2323	●	348 cm	233 cm	241 cm	14+	140 kg	32,6 m ²	240 cm	● ● ● ● ●	●	-
2325	●	489 cm	453 cm	347 cm	14+	140 kg	50,5 m ²	245 cm	● ● ● ● ●	●	-



Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robina
2326	●	543 cm	344 cm	241 cm	14+	140 kg	54,8 m ²	228 cm	● ● ● ● ●	●	-
2327	●	608 cm	499 cm	251 cm	14+	140 kg	64,6 m ²	228 cm	● ● ● ● ●	●	-
2328	●	789 cm	600 cm	347 cm	14+	140 kg	84,4 m ²	245 cm	● ● ● ● ●	●	-
2329	●	1137 cm	789 cm	351 cm	14+	140 kg	129,1 m ²	249 cm	● ● ● ● ●	●	-
2399	-	104 cm	12 cm	204 cm	-	-	-	-	● ● ● ● ●	●	-





RB2301



RB2302



RB2303



RB2304



RB2307



RB2308



RB2305



RB2306



RB2309



RB2310



RB2313










RB2312



RB2311

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB2301	●	198 cm	69 cm	72 cm	14+	140 kg	16,4 m ²	72 cm	-	-	●
RB2302	●	75 cm	198 cm	130 cm	14+	140 kg	16,7 m ²	112 cm	-	-	●
RB2303	●	198 cm	131 cm	130 cm	14+	140 kg	19,5 m ²	112 cm	-	-	●
RB2304	●	354 cm	19 cm	146 cm	14+	140 kg	19,0 m ²	127 cm	-	-	●
RB2305	●	153 cm	89 cm	90 cm	14+	140 kg	14,7 m ²	< 60 cm	-	-	●
RB2306	●	160 cm	89 cm	90 cm	14+	140 kg	14,9 m ²	< 60 cm	-	-	●
RB2307	●	175 cm	18 cm	250 cm	14+	140 kg	14,0 m ²	130 cm	-	-	●
RB2308	●	242 cm	19 cm	250 cm	14+	140 kg	26,4 m ²	231 cm	-	-	●
RB2309	●	130 cm	19 cm	250 cm	14+	140 kg	21,4 m ²	229 cm	-	-	●
RB2310	●	131 cm	20 cm	250 cm	14+	140 kg	21,3 m ²	230 cm	-	-	●
RB2313	●	129 cm	18 cm	250 cm	14+	140 kg	12,3 m ²	126 cm	-	-	●
RB2311	●	157 cm	128 cm	347 cm	14+	140 kg	30,9 m ²	245 cm	-	-	●
RB2312	●	128 cm	90 cm	351 cm	14+	140 kg	27,0 m ²	249 cm	-	-	●



Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB2314		241 cm	129 cm	250 cm	14+	140 kg	22,1 m ²	139 cm	-	-	
RB2315		242 cm	59 cm	250 cm	14+	140 kg	17,9 m ²	139 cm	-	-	
RB2323		358 cm	241 cm	250 cm	14+	140 kg	34,7 m ²	230 cm	-	-	





RB2324



RB2325



RB2326



RB2327



RB2329



RB2328



RB2399

Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
								steel	inox	robinia
RB2324	468 cm	384 cm	250 cm	14+	140 kg	42,2 m ²	228 cm	-	-	●
RB2325	494 cm	464 cm	347 cm	14+	140 kg	52,3 m ²	245 cm	-	-	●
RB2326	554 cm	352 cm	250 cm	14+	140 kg	57,8 m ²	228 cm	-	-	●
RB2328	798 cm	607 cm	347 cm	14+	140 kg	92,4 m ²	245 cm	-	-	●
RB2327	619 cm	508 cm	255 cm	14+	140 kg	68,2 m ²	228 cm	-	-	●
RB2329	1150 cm	798 cm	351 cm	14+	140 kg	144,7 m ²	249 cm	-	-	●
RB2399	109 cm	20 cm	210 cm	-	-	-	-	-	-	●

Characteristics of the WORKOUT series:



Galvanised steel construction



Stainless steel construction or elements



Robinia wood construction



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops

Colour & material options*:



Colour (construction in steel):



C8 - NCS-S-1060-G-60Y



C16 - RAL6013



C18 - NCS-S 2040-B10G

C12 - RAL7040



C17 - RAL4008



Ci - stainless steel



Construction:



Painted steel



Stainless steel



Robinia wood

*Material options apply to selected products, for more information visit: www.vinci-play.com


- park -

Small park architecture

The PARK series is a necessary complement to a kid-friendly playground.

Comfortable benches and tables, colourful litter bins, information boards and fences – all these elements ensure comfortable relaxation for children, their parents and caregivers.

The modern and aesthetically pleasing design of street furniture harmoniously blends in with the playground equipment.



0913



0923



0924



0925



0926



0911



















0912



0900-2



0902-2

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
0913	-	146 cm	129 cm	54 cm		-	-	-	-
0923	-	159 cm	35 cm	36 cm		-	-		-
0924	-	159 cm	42 cm	78 cm		-	-		-
0925	-	159 cm	35 cm	36 cm	-		-		-
0926	-	159 cm	42 cm	78 cm	-		-		-
0911	-	112 cm	49 cm	43 cm		-	-	-	-
0912	-	112 cm	50 cm	43 cm		-	-	-	-
0900-2	-	160 cm	38 cm	43 cm	-	-			-
0902-2	-	160 cm	48 cm	80 cm	-	-			-



0915

0914

See also from the ROBINIA series : p.126



0933



0934



0935



0905-1



0904

New!



0936



0938




0940



0909



0910

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
0915	-	160 cm	57 cm	74 cm	-	-	●	●	-
0914	-	171 cm	160 cm	74 cm	-	-	●	●	-
0933	-	45 cm	45 cm	85 cm	-	●	-	●	-
0934	-	45 cm	45 cm	85 cm	●●●●●	-	-	●	-
0935	-	125 cm	36 cm	95 cm	-	-	-	●●	-
0905-1	-	44 cm	31 cm	95 cm	-	-	-	●●	-
0904	-	44 cm	31 cm	95 cm	-	-	-	●●	-
0936	-	87 cm	8 cm	84 cm	-	-	-	●	-
0938	-	70 cm	12 cm	81 cm	-	-	-	●	-
0940	-	94 cm	44 cm	25 cm	-	-	-	●	-
0909	-	43 cm	32 cm	74 cm	●●	-	-	●	-
0910	-	45 cm	32 cm	73 cm	●●	-	-	●	-




WD1485



WD1484




WD1486




0920



0927






















0928



0921-1



0922

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
WD1485	-	170 cm	14 cm	76 cm			-	-	
WD1484	-	120 cm	13 cm	76 cm			-	-	
WD1486	-	280 cm	12 cm	76 cm			-	-	
0920	-	205 cm	5 cm	90 cm	-		-		-
0927	-	105 cm	8 cm	90 cm	-		-		-
0928	-	315 cm	8 cm	90 cm	-		-		-
0921-1	-	261 cm	6 cm	116 cm		-	-		-
0922	-	112 cm	21 cm	120 cm	-	-	-		-




WD1483



0906



0907



0908

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
WD1483	-	50 cm	10 cm	170 cm	-	-	-	-	●
0906	-	50 cm	4 cm	171 cm	-	-	-	●	-
0907	-	59 cm	4 cm	169 cm	-	-	-	●	-
0908	-	170 cm	15 cm	171 cm	-	-	-	●●●	-

Characteristics of the PARK series:



Galvanised steel construction



Wood construction



Galvanised anchors



HDPE panels



HPL panels

Colour & material options*:



Colour (panels):



C1 HPL - RAL6000



C2 HPL - RAL3000



C11E HDPE - multicolour



C3 HPL - RAL5024



C9 HPL - wood pattern



C12E HDPE - grey/black



Anchoring:

- Surface

- Deep

*Material options apply to selected products, for more information visit: www.vinci-play.com

jungle



3231 p.30 3240 p.30 3230 p.30 3227 p.30 3241 p.31 3245 p.31 3260 p.31

space



3427 p.32 3430 p.32 3431 p.32 3440 p.34 3441 p.34 3445 p.34 3460 p.35

castillo




3028-1 p.36 3040-1 p.36 3001-1 p.36 3002-1 p.36 3003-1 p.36 3004-1 p.36 3027-1 p.37 3030-1 p.37 3029-1 p.39

steel+



3041-1 p.39 3031-1 p.39 3045-1 p.39 3060-1 p.40 3080 p.41



1723 p.42 1702 p.42 1709 p.42 1701 p.43 1724 p.43 1726 p.43 1703 p.44 1704 p.44 1705 p.44



1706 p.45 1717 p.45 1707 p.45 1708 p.45 1710 p.45 1712 p.45 1711 p.45 1713 p.45 1727 p.46



1728 p.46 1730-1 p.46 1731 p.46 1740 p.46 1741 p.47 1745 p.47 1790 p.47 1736 p.49 1780 p.49

wooden




WD1534 p.50 WD1541 p.50 WD1542 p.50 3101 p.51 3102 p.51 3103 p.51 3104 p.51



WD1503 p.52 WD1403 p.52 WD1437 p.52 WD1401 p.52 WD1402 p.52 WD1407 p.52 WD1505 p.54 WD1501 p.54 WD1506 p.54



WD1434 p.55 WD1436 p.55 WD1504 p.55 WD1502 p.55 WD1408 p.56 WD1406 p.56 WD1404 p.56 WD1405 p.56 WD1438 p.56



oio

minisweet



1763 p.75 1770 p.75 1771 p.75 1772 p.75 1720 p.75 1721 p.75 1722 p.75 WP2801 p.76 WP2804 p.76



WP2802 p.76 WP2805 p.76 WP2807 p.76 WP2808 p.76 WP2803 p.76 WP2806 p.76 0816 p.77 0817 p.77 0823 p.77



0106-1C1 p.78 0100C1 p.78 0103C1 p.78 0101-1C1 p.78 0108-2C2 p.79 0102C2 p.79 0107C3 p.79 0105C3 p.79 0109-1C9 p.79



0104C9 p.79 0110 p.81 0111 p.81 0112 p.81 0113 p.81 0114 p.81



0204C9 p.82 0814C9 p.82 0815-2C9 p.82 0201-1C9 p.82 0200C9 p.82 0212C1 p.83 0202-1C1 p.83 0203-1C1 p.83 0205-1C2 p.83



0213C2 p.83 0207C2 p.83 0208C3 p.83 0209C3 p.83 0206C3 p.83 0211-1C3 p.85 0214C3 p.85 0210-1C3 p.85

crooc



0305 p.86 0310 p.86 0306 p.86 0300S1 p.86 0303 p.86 0304 p.86 0300 p.86 0301S1 p.87 0301 p.87



0302 p.88 0302S1 p.88 0330 p.91

climbo



WD1420 p.92 WD1464 p.92 WD1428 p.92 WD1426 p.92 WD1417 p.92 WD1419 p.92 WD1466 p.92 WD1465 p.93 WD1487 p.93



WD1460 p.93 WD1459 p.93 WD1462 p.93 WD1461 p.94 WD1463 p.94 0411 p.96 0410 p.96 0409 p.96 0499 p.96



0404-1 p.96 0401 p.96 0402 p.96 0403 p.96 0405-1 p.96 0406 p.96 0407 p.96 0408 p.96 1750 p.97



1714 p.97 1716 p.97 0412 p.98 0413-1 p.98 0414-1 p.98 0419-1 p.99 0418-1 p.99 0417-1 p.99 0416-1 p.99



0420 p.101 0421 p.101 0415 p.101



1632 p.102 1638 p.102 1601 p.102 1602 p.102 1603 p.102 1604 p.102 1605 p.103 1606 p.103 1607 p.103



1608 p.103 1609 p.104 1635 p.104 1630 p.104 1610 p.104 1636 p.104 1631 p.104 1633 p.104 1634 p.104



1637 p.104 1639 p.105 1640 p.105



0608-2 p.106 0651 p.106 0652 p.106 0653 p.106 0654 p.106 0655 p.106 0602 p.106 0603 p.106 0604-1 p.106



0606 p.107 0623 p.107 0616 p.107 0609 p.107 0615-1 p.107 0607-1 p.107 0622 p.107 0633 p.107 0632 p.108



0631 p.108 0630 p.108 0600-1 p.109 0601-1 p.109 0613-1 p.109 0611-1 p.109 0626 p.109 0610 p.109 0660 p.109



0670 p.109 0671 p.109 0627 p.110 0612-1 p.111 0681 p.111 0617-1 p.111 0621-1 p.111 0619 p.111 0624 p.111

netix

spring

swing



0625 p.111



ST0513 p.112



ST0522 p.112



ST0524 p.112



ST0525 p.112



WD1425 p.112



ST0500 p.112



ST0528 p.112



ST0529 p.113



ST0530 p.113



ST0531 p.113



ST0510 p.114



ST0511 p.114



ST0512 p.114



ST1421 p.115



ST1422 p.115



ST1491 p.115



ST1424 p.115



ST0520 p.115



ST1423 p.116



ST1492 p.116



ST1497 p.116



ST1494 p.116



WD0520 p.117



WD1421-1 p.117



WD1422-1 p.117



WD1491 p.117



WD1424-1 p.117



WD1423-1 p.118



WD1492 p.118



WD1494 p.118



WD1497 p.118



ST0515 p.120



ST0516 p.120



ST0517 p.120



ST0509 p.121



ST0518 p.121



ST0519 p.121



ST0521 p.121


hoop



0703-1 p.122



0726 p.122



0728 p.122



0708-1 p.123



0702-2 p.123



0705-2 p.123



0706-1 p.123



0710 p.124



0700-1 p.124



0701-1 p.124



0712 p.124



0713 p.124



0711 p.125



0714 p.125

robinia



RB1203 p.126



RB1334 p.126



RB1201 p.126



RB1202 p.126



RB1207 p.128



RB1205 p.128



RB1206 p.128



RB1211 p.130



RB1215 p.130



RB1216 p.131



RB1217 p.131



RB1305 p.132



RB1301 p.132



RB1302 p.132



RB1311 p.132



RB1231 p.133



RB1235 p.133



RB1232 p.133



RB1234 p.133



RB1233 p.133



RB1236 p.133



RB1237 p.133



RB1238 p.134



RB1241 p.136



RB1243 p.136



RB1244 p.136



RB1242 p.136



RB1245 p.136



RB1246 p.136



RB1251 p.137



RB1252 p.137



RB1253 p.137



RB1259 p.137



RB1254 p.137



RB1258 p.137



RB1255 p.137



RB1256 p.137



RB1257 p.137



RB1260 p.137



RB1264 p.138



RB1265 p.138



RB1266 p.138



RB1267 p.138



RB1263 p.138



RB1262 p.139



RB1271 p.139



RB1272 p.139



RB1278 p.139



RB1279 p.139



RB1274 p.139



RB1270 p.139



RB1273 p.139



RB1283 p.140



RB1284 p.140



RB1280 p.140



RB1383 p.141



RB1282 p.141



RB1285 p.141



RB1275 p.141



RB1277 p.141



RB1276 p.141



RB1310 p.141



RB1319 p.142



RB1281 p.142



RB1312 p.142



RB1291 p.144



RB1292 p.144



RB1293 p.144



RB1294 p.144



RB1295 p.144



RB1296 p.144



RB1297 p.144



RB1298 p.144



RB1299 p.144



RB1347 p.145



RB1332 p.145



RB1333 p.145



RB1331 p.145



RB1340 p.147



RB1341 p.147



RB1342 p.147



RB1344 p.147



RB1343 p.147



RB1346 p.147



RB1345 p.147



RB1361 p.148



RB1362 p.148



RB1363 p.148



RB1364 p.148



RB1369 p.148



RB1365 p.148



RB1372 p.150



RB1373 p.150



RB1375 p.150



RB1351 p.152



RB1352 p.152



RB1422 p.152



RB1491 p.152



RB1424 p.152



RB1421 p.152



RB1423 p.153



RB1492 p.153



RB1494 p.153



RB1497 p.153



RB0520 p.153



RB0517 p.153



RB0513 p.153



RB0510 p.154




RB0511 p.154 RB0512 p.154 RB0515 p.155 RB0521-1 p.155 RB1385 p.155 RB1386 p.155 RB1350 p.156 RB1349 p.156 RB1348 p.156



RB1399 p.156 RB1395 p.156 RB1392 p.156 RB1391 p.156 RB1268 p.157 RB1396 p.157 RB1398 p.157 RB1397 p.157



2002 p.160 2003 p.160 2022 p.160 2036 p.160 2200 p.160 2202 p.160



2222 p.162 2211 p.162 2212 p.162 2213 p.162 2214 p.162 2221 p.162 2220 p.162 2223 p.162 2224 p.162



1106 p.164 1103-1 p.164 1101 p.164 1102 p.164 1104-1 p.164 1105-1 p.164 1107-1 p.164 1108 p.164 1109 p.165



1110 p.165 1111-1 p.165 1112 p.167 1113 p.167 1114 p.167 1115 p.167 1116-1 p.167 1117 p.167 1131 p.168



1132 p.168 1133 p.168 1134 p.168 1137 p.168 1138 p.168 1139 p.168 1140 p.168 1141 p.168 1142 p.168



1143 p.168 1144 p.168 1145 p.168 1146 p.168 1147 p.168 1148 p.168 1149 p.168 1150 p.168 1151 p.168




1152 p.168 1153 p.168 1154 p.168 1156 p.168 RB1106 p.170 RB1113 p.170 RB1116 p.170 RB1117 p.171 RB1112 p.171



RB1108 p.171 RB1114 p.171 RB1110 p.171 RB1109 p.171

workout



2324 p.172 2301 p.172 2302 p.172 2303 p.172 2304 p.172 2305 p.172 2306 p.172 2307 p.173 2308 p.173
 2309 p.173 2310 p.173 2311 p.173 2312 p.173 2313 p.173 2314 p.173 2315 p.173 2323 p.173 2325 p.173
 2326 p.174 2327 p.174 2328 p.174 2329 p.174 2399 p.174 RB2301 p.176 RB2302 p.176 RB2303 p.176 RB2304 p.176
 RB2305 p.176 RB2306 p.176 RB2307 p.176 RB2308 p.176 RB2309 p.176 RB2310 p.176 RB2313 p.176 RB2311 p.176 RB2312 p.176
 RB2314 p.177 RB2315 p.177 RB2323 p.177 RB2324 p.179 RB2325 p.179 RB2326 p.179 RB2327 p.179 RB2328 p.179 RB2329 p.179
 RB2399 p.179

park



0913 p.180 0923 p.180 0924 p.180 0925 p.180 0926 p.180 0911 p.180 0912 p.180 0900-2 p.180 0902-2 p.180
 0915 p.181 0914 p.181 0933 p.181 0934 p.181 0935 p.181 0905-1 p.181 0904 p.181 0936 p.181 0938 p.181
 0940 p.181 0909 p.181 0910 p.181 WD1485 p.182 WD1484 p.182 WD1486 p.182 0920 p.182 0927 p.182 0928 p.182
 0921-1 p.182 0922 p.182 WD1483 p.183 0906 p.183 0907 p.183 0908 p.183

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
0100C1	78	0403	96	0633	107	0831	66	1115	167	1701	43	2212	162
0101-1C1	78	0404-1	96	0651	106	0832	66	1116-1	167	1702	42	2213	162
0102C2	79	0405-1	96	0652	106	0840	65	1117	167	1703	44	2214	162
0103C1	78	0406	96	0653	106	0841	65	1131	168	1704	44	2220	162
0104C9	79	0407	96	0654	106	0900-2	180	1132	168	1705	44	2221	162
0105C3	79	0408	96	0655	106	0902-2	180	1133	168	1706	45	2222	162
0106-1C1	78	0409	96	0660	109	0904	181	1134	168	1707	45	2223	162
0107C3	79	0410	96	0670	109	0905-1	181	1137	168	1708	45	2224	162
0108-2C2	79	0411	96	0671	109	0906	183	1138	168	1709	42	2301	172
0109-1C9	79	0412	98	0681	111	0907	183	1139	168	1710	45	2302	172
0110	81	0413-1	98	0685	72	0908	183	1140	168	1711	45	2303	172
0111	81	0414-1	98	0700-1	124	0909	181	1141	168	1712	45	2304	172
0112	81	0415	101	0701-1	124	0910	181	1142	168	1713	45	2305	172
0113	81	0416-1	99	0702-2	123	0911	180	1143	168	1714	97	2306	172
0114	81	0417-1	99	0703-1	122	0912	180	1144	168	1716	97	2307	173
0120	72	0418-1	99	0705-2	123	0913	180	1145	168	1717	45	2308	173
0121	72	0419-1	99	0706-1	123	0914	181	1146	168	1720	75	2309	173
0122	72	0420	101	0708-1	123	0915	181	1147	168	1721	75	2310	173
0200C9	82	0421	101	0710	124	0920	182	1148	168	1722	75	2311	173
0201-1C9	82	0499	96	0711	125	0921-1	182	1149	168	1723	42	2312	173
0202-1C1	83	0600-1	109	0712	124	0922	182	1150	168	1724	43	2313	173
0203-1C1	83	0601-1	109	0713	124	0923	180	1151	168	1726	43	2314	173
0204C9	82	0602	106	0714	125	0924	180	1152	168	1727	46	2315	173
0205-1C2	83	0603	106	0726	122	0925	180	1153	168	1728	46	2323	173
0206C3	83	0604-1	106	0728	122	0926	180	1154	168	1730-1	46	2324	172
0207C2	83	0606	107	0800	68	0927	182	1156	168	1731	46	2325	173
0208C3	83	0607-1	107	0801-1	68	0928	182	1601	102	1736	49	2326	174
0209C3	83	0608-2	106	0802-1	68	0933	181	1602	102	1740	46	2327	174
0210-1C3	85	0609	107	0804	72	0934	181	1603	102	1741	47	2328	174
0211-1C3	85	0610	109	0806-1	72	0935	181	1604	102	1745	47	2329	174
0212C1	83	0611-1	109	0808-1	72	0936	181	1605	103	1750	97	2399	174
0213C2	83	0612-1	111	0809	72	0938	181	1606	103	1760	75	3001-1	36
0214C3	85	0613-1	109	0810	64	0940	181	1607	103	1761	75	3002-1	36
0300	86	0615-1	107	0811	64	1101	164	1608	103	1762	75	3003-1	36
0300S1	86	0616	107	0812	64	1102	164	1609	104	1763	75	3004-1	36
0301	87	0617-1	111	0813	64	1103-1	164	1610	104	1770	75	3027-1	37
0301S1	87	0619	111	0814C9	82	1104-1	164	1630	104	1771	75	3028-1	36
0302	88	0621-1	111	0815-2C9	82	1105-1	164	1631	104	1772	75	3029-1	39
0302S1	88	0622	107	0816	77	1106	164	1632	102	1780	49	3030-1	37
0303	86	0623	107	0817	77	1107-1	164	1633	104	1790	47	3031-1	39
0304	86	0624	111	0820	64	1108	164	1634	104	2002	160	3040-1	36
0305	86	0625	111	0821	65	1109	165	1635	104	2003	160	3041-1	39
0306	86	0626	109	0822	65	1110	165	1636	104	2022	160	3045-1	39
0310	86	0627	110	0823	77	1111-1	165	1637	104	2036	160	3060-1	40
0330	91	0630	108	0824	65	1112	167	1638	102	2200	160	3080	41
0401	96	0631	108	0825	64	1113	167	1639	105	2202	160	3101	51
0402	96	0632	108	0830	66	1114	167	1640	105	2211	162	3102	51

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
3103	51	RB1235	133	RB1295	144	RB1399	156	ST0525	112	WD1434	55	WD1485	182
3104	51	RB1236	133	RB1296	144	RB1421	152	ST0528	112	WD1436	55	WD1486	182
3227	30	RB1237	133	RB1297	144	RB1422	152	ST0529	113	WD1437	52	WD1487	93
3230	30	RB1238	134	RB1298	144	RB1423	153	ST0530	113	WD1438	56	WD1491	117
3231	30	RB1241	136	RB1299	144	RB1424	152	ST0531	113	WD1439	59	WD1492	118
3240	30	RB1242	136	RB1301	132	RB1491	152	ST1421	115	WD1440	66	WD1494	118
3241	31	RB1243	136	RB1302	132	RB1492	153	ST1422	115	WD1441	66	WD1497	118
3245	31	RB1244	136	RB1305	132	RB1494	153	ST1423	116	WD1442	66	WD1501	54
3260	31	RB1245	136	RB1310	141	RB1497	153	ST1424	115	WD1443	66	WD1502	55
3427	32	RB1246	136	RB1311	132	RB2301	176	ST1491	115	WD1444	66	WD1503	52
3430	32	RB1251	137	RB1312	142	RB2302	176	ST1492	116	WD1445	66	WD1504	55
3431	32	RB1252	137	RB1319	142	RB2303	176	ST1494	116	WD1446	66	WD1505	54
3440	34	RB1253	137	RB1331	145	RB2304	176	ST1497	116	WD1447	66	WD1506	54
3441	34	RB1254	137	RB1332	145	RB2305	176	WD0520	117	WD1448	66	WD1534	50
3445	34	RB1255	137	RB1333	145	RB2306	176	WD1401	52	WD1449	58	WD1541	50
3460	35	RB1256	137	RB1334	126	RB2307	176	WD1402	52	WD1450	58	WD1542	50
RB0510	154	RB1257	137	RB1340	147	RB2308	176	WD1403	52	WD1451	59	WD1550	63
RB0511	154	RB1258	137	RB1341	147	RB2309	176	WD1404	56	WD1452	59	WD1551	63
RB0512	154	RB1259	137	RB1342	147	RB2310	176	WD1405	56	WD1453	59	WD1552	63
RB0513	153	RB1260	137	RB1343	147	RB2311	176	WD1406	56	WD1454	58	WD1560	71
RB0515	155	RB1262	139	RB1344	147	RB2312	176	WD1407	52	WD1455	69	WD1561	71
RB0517	153	RB1263	138	RB1345	147	RB2313	176	WD1408	56	WD1456	69	WD1562	71
RB0520	153	RB1264	138	RB1346	147	RB2314	177	WD1409	57	WD1457-1	69	WD1563	71
RB0521-1	155	RB1265	138	RB1347	145	RB2315	177	WD1410	57	WD1458	69	WD1564	71
RB1106	170	RB1266	138	RB1348	156	RB2323	177	WD1411	58	WD1459	93	WD1565	71
RB1108	171	RB1267	138	RB1349	156	RB2324	179	WD1412	58	WD1460	93	WD1580	60
RB1109	171	RB1268	157	RB1350	156	RB2325	179	WD1413	58	WD1461	94	WD1581	60
RB1110	171	RB1270	139	RB1351	152	RB2326	179	WD1414	60	WD1462	93	WP2801	76
RB1112	171	RB1271	139	RB1352	152	RB2327	179	WD1415	60	WD1463	94	WP2802	76
RB1113	170	RB1272	139	RB1361	148	RB2328	179	WD1416	68	WD1464	92	WP2803	76
RB1114	171	RB1273	139	RB1362	148	RB2329	179	WD1417	92	WD1465	93	WP2804	76
RB1116	170	RB1274	139	RB1363	148	RB2399	179	WD1418-1	60	WD1466	92	WP2805	76
RB1117	171	RB1275	141	RB1364	148	ST0500	112	WD1419	92	WD1467	70	WP2806	76
RB1201	126	RB1276	141	RB1365	148	ST0509	121	WD1420	92	WD1468	70	WP2807	76
RB1202	126	RB1277	141	RB1369	148	ST0510	114	WD1421-1	117	WD1469	70	WP2808	76
RB1203	126	RB1278	139	RB1372	150	ST0511	114	WD1422-1	117	WD1470	70		
RB1205	128	RB1279	139	RB1373	150	ST0512	114	WD1423-1	118	WD1471	70		
RB1206	128	RB1280	140	RB1375	150	ST0513	112	WD1424-1	117	WD1472	70		
RB1207	128	RB1281	142	RB1383	141	ST0515	120	WD1425	112	WD1473	71		
RB1211	130	RB1282	141	RB1385	155	ST0516	120	WD1426	92	WD1474	71		
RB1215	130	RB1283	140	RB1386	155	ST0517	120	WD1427	70	WD1475	71		
RB1216	131	RB1284	140	RB1391	156	ST0518	121	WD1428	92	WD1476	71		
RB1217	131	RB1285	141	RB1392	156	ST0519	121	WD1429	69	WD1477	71		
RB1231	133	RB1291	144	RB1395	156	ST0520	115	WD1430	63	WD1478	71		
RB1232	133	RB1292	144	RB1396	157	ST0521	121	WD1431	63	WD1482	68		
RB1233	133	RB1293	144	RB1397	157	ST0522	112	WD1432	63	WD1483	183		
RB1234	133	RB1294	144	RB1398	157	ST0524	112	WD1433	60	WD1484	182		

LEGEND



Colour variants



Facilitated access for children with disabilities



Spinning elements



Reinforced belt fabric



Carousel platforms made of HPL



Polycarbonate (PC) panels



Steel construction and/or elements made of hot-dip galvanised and powder coated steel



HPL - the highest quality, water and UV resistant high pressure laminated panels



Connectors, screws, washers and nuts made of stainless steel and/or galvanised steel protected with plastic caps



Polypropylene (PP) or Nylon combination ropes with steel core



Stainless steel (AISI 304 or 316)
- stainless steel structure
- stainless handrails and rods



Anchoring options:
- deep to the ground – 55 cm
- to concrete with plates – 5 cm
- to concrete with plates – 55 cm



Rubber / PP protective tops



HDPE - high density polyethylene panels



Stainless steel or PE tube slides



Climbing stones



Attested stainless steel chains



UV printed PC panels



Construction made of impregnated laminated wood, post dimensions: 90 x 90 mm



Steel spring 20 mm, sand-blasted, iron phosphated and double powder coated



Stainless steel or fiberglass slides with side panels made of HDPE or HPL



Tunnels made of durable, vandal-proof, double-layered material



Certified swing seats:
- Flat seats of rubber compound with aluminium insert
- Toddler seats for small children with soft gripping



Platforms and climbing walls made from anti-slip and waterproof plywood or HPL HEXA panels – effective protection against environmental factors and wear-resistant

*The colours of the products in this catalogue may not correspond to the actual ones. Vinci Group reserves the right to make any changes and upgrades of its products at any time without notice. Information provided in this catalogue was accurate at the time of printing. Vinci Group accepts no responsibility for any loss or damage caused to any person or company as a result of any error, omission or misleading information, and this catalogue does not oblige to any form of contract.





**vinci
play**



9 Seminaryjna St.
99-400 Łowicz, Poland

e-mail: info@vinci-play.com
mob: +48 793 404 991 / +48 780 047 378
tel: +48 (42) 203 24 99 ext. 22 or 26
fax: +48 (22) 300 15 91

www.vinci-play.com